



Stockrax Everyday easy to assemble shelving bays.
See pages 12-13

Choice of shelving ranges to meet all your storage requirements throughout the workplace from the office to the warehouse.

SHELVING & RACKING

sh
Link 51
See p



Longspan shelving
Permar, Apex
See p

THE STORAGE DESIGN Catalogue

STORAGE & WORKPLACE PRODUCTS



Storage Design Limited
Primrose Hill
Cowbridge
South Wales
CF71 7DU
www.storage-design.ltd.uk

STORAGE DESIGN LIMITED

email: info@storage-design.ltd.uk
tel: 01446 772614
fax: 01446 774770



Choice of Apex & Link 51 pallet racking systems
See pages 32 - 34

SHELVING & RACKING SOLUTIONS

Shelving Design	38
Standard & Heavy Duty Solutions	39
Mobile Shelving Solutions	41
Pallet Racking Design	42
Pallet Racking Systems	43

10
11
11
12
13
14
15
16
17
17
17
18
21
22
24
25
26
28
29
30
31
32
34
35
36
37



Stockrax Everyday easy to assemble shelving bays.
See pages 12-13

Commercial shelving from Link 51 and Probe.
See pages 18-21



Euro shelving heavy duty industrial adjustable shelving.
See pages 22-23

Longspan heavy duty shelving systems from Permar, Apex and Link 51.
See pages 25 - 31



Choice of Apex & Link 51 pallet racking systems
See pages 32 - 34

Choice of shelving ranges to meet all your storage requirements throughout the workplace from the office to the warehouse.

EVERYDAY SHELVING

Bolted Metal Shelving	10
Boltless Metal Shelving	11
Boltless Galvanised Shelving	11
Stockrax Standard Duty Shelving	12
Stockrax Heavy Duty Shelving	13
Chrome Wire Shelving	14
Anti-Bacterial Wire Shelving	15

COMMERCIAL SHELVING

Spur Shelving	16
Archive Shelving Bays	17
Stormor Bin Units	17
Steel Bin Shelving	17
Stormor Shelving	18
Ikon Shelving	21

INDUSTRIAL SHELVING

Link 51 Euro Shelving	22
Garment Hanging	24
Polypal Galvatite Minipal Shelving	25
Link 51 Longspan Shelving	26
Apex Longspan 200 Series Shelving	28
Apex Longspan 500 Series Shelving	29
Apex Longspan 750 Series Shelving	30
Apex Longspan 1000 Series Shelving	31

PALLET RACKING

Apex Pallet Racking	32
Link 51 Pallet Racking	34
Link 51 Rack Protection	35
Cantilever Racking	36
Storage Racks	37

SHELVING & RACKING SOLUTIONS

Shelving Design	38
Standard & Heavy Duty Solutions	39
Mobile Shelving Solutions	41
Pallet Racking Design	42
Pallet Racking Systems	43

EVERYDAY SHELVING

ECONOMY SHELVING

Our Everyday Shelving with its choice of materials, finishes and sizes mean there is sure to be a shelving solution to meet your requirements. Bolted and boltless shelving kits are suitable for the home, office and stock rooms.

Made in UK; these products are of the highest quality and easy to assemble. With shelf loads of up to 510kg Galvanised Heavy Duty Shelving is suitable for manufacturing and engineering environments.



Fast Delivery



Quick Assembly



SHELF LOAD
90kg

ECONOMY MEDIUM DUTY BOLTED METAL SHELVING

Medium duty shelving system with bolted construction features corner braces for stability.

- 6-shelf unit can also be built as two 3-shelf units
- Light grey scratch resistant powder coated finish

Code	Height	Width	Depth	Shelves	Each
VZMDBL5	1900mm	900mm	400mm	5	£80.51
VZMDBL6	1900mm	900mm	310mm	6	£77.46

Bulk order discounts available



SHELF LOAD
UP TO 45kg

FROM ONLY
£29.36

ECONOMY LIGHT DUTY BOLTED METAL SHELVING

Economy bolted shelving designed for domestic and light commercial applications. Shelves may be inverted to use as trays.

- 4 and 5 shelf units have 2 piece uprights
- Units should be bolted back to back or wall fixed for additional stability

Code	Height	Width	Depth	Shelves	Shelf Load	Finish	Each
VZLDBLG3	780mm	700mm	300mm	3	44kg	Galvanised	£29.36
VZLDBLG4	1500mm	700mm	300mm	4	44kg	Galvanised	£37.34
VZLDBLG5	1500mm	700mm	300mm	5	45kg	Galvanised	£41.88
VZLDBLP3	780mm	700mm	300mm	3	44kg	Black	£33.46
VZLDBLP4	1500mm	700mm	300mm	4	44kg	Black	£43.02
VZLDBLP5	1500mm	700mm	300mm	5	45kg	Black	£50.72

Bulk order discounts available



SHELF LOAD
100kg

ECONOMY HEAVY DUTY BOLTED METAL SHELVING

Heavy duty bolted shelving offering 100kgs UDL per level with traditional bracing and uprights.

- Light grey scratch resistant powder coated finish
- Braced frame

Code	Height	Width	Depth	Shelves	Each
VZHDBL55	2000mm	1000mm	500mm	5	£123.11

Bulk order discounts available.

Please note VZHDBL55 shelving bays come with 5 shelves each.

EVERYDAY SHELVING



FROM ONLY
£38.36



SHELF LOAD
60kg

ECONOMY STANDARD DUTY BOLTLESS METAL SHELVING

Economy standard duty boltless shelving, easily assembled with a rubber mallet.

- Strong boltless shelving
- Black scratch resistant powder coated finish

Code	Height	Width	Depth	Shelves	Each
VZLDBP3	760mm	700mm	300mm	3	£38.36
VZLDBP4	1400mm	700mm	300mm	4	£50.22
VZLDBP5	1500mm	700mm	300mm	5	£60.06

Bulk order discounts available



FROM ONLY
£46.51



SHELF LOAD
100kg

ECONOMY HEAVY DUTY BOLTLESS METAL SHELVING

Economy heavy duty quick assembly shelving, simply slots together without tools. Black scratch resistant powder coated finish.

- Chipboard shelves sit on powder coated framework
- Tall units should be bolted back to back or wall fixed for additional stability.

Code	Height	Width	Depth	Shelves	Each
VZHDF2	940mm	950mm	450mm	2	£46.51
VZHDF3	940mm	950mm	450mm	3	£60.03
VZHDF4	1315mm	1320mm	450mm	4	£57.92
VZHDF5	1880mm	950mm	450mm	5	£106.54



FROM ONLY
£104.64



SHELF LOAD
UP TO 360kg

STOCKRAX GALVANISED STANDARD DUTY SHELVING

Quick and easy to assemble pre galvanite shelving with either 18mm FSC certified chipboard or galvatite shelves. Manufactured in the UK.

- Three of the galvatite steel shelves sit on beams, the other two on adjustable shelf clips
- Bays are 1981mm high

Code	Width	Depth	Description	Shelf Load	Each
ESX001MGS*	900mm	300mm	5 Steel shelf levels (3 on J beams & 2 on clips)	68kg	£104.64
ESX004MGS*	900mm	450mm	5 Steel shelf levels (3 on J beams & 2 on clips)	68kg	£120.75
ESX001CGS*	900mm	300mm	5 Chipboard levels on J beams	360kg	£107.29
ESX004CGS*	900mm	450mm	5 Chipboard levels on J beams	320kg	£114.82
ESX002CGS*	1200mm	300mm	5 Chipboard levels on J beams	350kg	£134.22
ESX005CGS*	1200mm	450mm	5 Chipboard levels on J beams	320kg	£146.18

EXTRA SHELF LEVELS

Code	Width	Depth	Description	Shelf Load	Each
ESX101CGS	900mm	300mm	Chipboard deck on J beams	360kg	£14.78
ESX102CGS	1200mm	300mm	Chipboard deck on J beams	350kg	£20.14
ESX104CGS	900mm	450mm	Chipboard deck on J beams	320kg	£16.26
ESX105CGS	1200mm	450mm	Chipboard deck on J beams	320kg	£22.54
ESX101MCGS	900mm	300mm	Steel shelf on clips	68kg	£8.78
ESX104MCGS	900mm	450mm	Steel shelf on clips	68kg	£11.33



STOCKRAX BAY WITH LINBINS

Ready to build shelving bays with grey recycled plastic containers. Speed up item selection by separating the smallest components.

- Comes with Size 5 Linbins - H130mm x W140mm x D280mm
- Blue uprights with light grey beams

Code	Height	Width	Depth	No. of Containers	Each
VBLK1BLK	1830mm	900mm	300mm	72	£289.36
VBLK2BLK	915mm	900mm	300mm	36	£151.68

FROM ONLY
£151.68



SHELF LOAD
UP TO 510kg



FROM ONLY
£124.36

STOCKRAX GALVANISED HEAVY DUTY SHELVING

Three 18mm FSC certified chipboard shelves on galvatite channel beams. Manufactured in the UK.

- Bays are 1981mm high.
- Extra shelf levels available

Code	Width	Depth	Shelf Load	Each
ESX020CGS*	1500mm	450mm	510kg	£124.36
ESX021CGS	1500mm	600mm	275kg	£134.46
ESX024CGS	1800mm	600mm	365kg	£152.51
ESX027CGS	2100mm	600mm	400kg	£164.29

HEAVY DUTY GALVANISED EXTRA SHELF LEVEL

Code	Width	Depth	Shelf Load	Each
ESX120CGS	1500mm	450mm	510kg	£30.30
ESX121CGS	1500mm	600mm	275kg	£33.67
ESX124CGS	1800mm	600mm	365kg	£39.68
ESX127CGS	2100mm	600mm	400kg	£40.50

Maximum bay load for bays 1980mm high - 2000kg UDL, maximum bay load for bays over 1980mm high - 1500kg UDL



SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied.

EVERYDAY SHELVING

STOCKRAX SHELVING

Stockrax is a boltless shelving range made in UK. Easy to assemble, it is a favourite for home use with 360kg shelf load meeting most domestic requirements.


With the heavy duty having a shelf load of up to 650kg being suitable for manufacturing and environmental environments.



Fast Delivery



Quick Assembly



IT'S SO QUICK & EASY!

Bays are

- Simple tap-together construction
- No fiddly nuts and bolts
- Bays assembled within ten minutes



Unpack and assemble the framework by simply tapping together...



...then drop the shelves into position.



STOCKRAX STANDARD DUTY SHELVING BAY

Simple tap together fully adjustable shelving for quick and economic storage solutions

- Bays comprise 4 uprights, 5 or 6 shelf levels with beams, feet and assembly instructions
- Quickly and easily assembled, requiring only a rubber mallet and screwdriver
- Extra shelf levels available



SHELF LOAD
UP TO 360kg

STOCKRAX STANDARD DUTY SHELVING BAY

Chipboard shelf
sits within beams

Shelves adjustable
on 50mm pitch

Footplates
included



Height	Width	Depth	No. of Shelves	Shelf Load	Starter Bay		Extra Shelf	
					Code	Each	Code	Each
1981mm	900mm	300mm	5	360kg	SX001--GU ^o	£127.93	SX101GU	17.16
1981mm	1200mm	300mm	5	350kg	SX002--GU ^o	£159.40	SX102GU	£22.28
1981mm	1500mm	300mm	5	175kg	SX003--GU ^o	£174.91	SX103GU	£27.01
1981mm	900mm	450mm	5	320kg	SX004--GU ^o	£133.59	SX104GU	£19.64
1981mm	1200mm	450mm	5	350kg	SX005--GU ^o	£169.51	SX105GU	£25.95
1981mm	1500mm	450mm	5	175kg	SX006--GU ^o	£195.85	SX106GU	£31.28
1981mm	900mm	600mm	5	180kg	SX007--GU	£150.86	SX107GU	£22.15
1981mm	1200mm	600mm	5	200kg	SX019--GU	£189.01	SX119GU	£29.79
1981mm	1500mm	600mm	5	175kg	SX008--GU	£218.21	SX108GU	£35.61
1981mm	900mm	380mm	5	300kg	SX192--GU ^o	£134.61	SX195GU	£18.97
1981mm	1200mm	380mm	5	350kg	SX193--GU ^o	£171.65	SX196GU	£29.43
1981mm	1200mm	900mm	5	75kg	JSD012--GU	£207.89	JSEX1290GU	£33.92
1981mm	1500mm	380mm	5	175kg	SX194--GU ^o	£215.86	SX197GU	£35.21
1981mm	1500mm	900mm	5	104kg	SX011--GU	£280.21	JSEX1590GU	£48.39
2438mm	900mm	300mm	6	360kg	JSD0014--GU ^o	£147.01	-	-
2438mm	1200mm	300mm	6	175kg	JSD0021--GU ^o	£203.54	-	-
2438mm	1200mm	300mm	5	200kg	SX199--GU ^o	£192.01	SX119GU	£29.79
2438mm	900mm	450mm	6	320kg	JSD0015--GU ^o	£146.28	-	-
2438mm	1200mm	450mm	6	350kg	JSD0018--GU ^o	£196.86	-	-
2438mm	1500mm	450mm	6	175kg	JSD0022--GU ^o	£228.44	-	-
2438mm	1200mm	600mm	6	200kg	JSD0019--GU ^o	£220.30	-	-
2438mm	900mm	600mm	5	180kg	SX198--GU ^o	£153.80	SX107GU	£22.15
2438mm	1500mm	600mm	5	175kg	SX200--GU ^o	£221.15	SX108GU	£35.61
2438mm	1200mm	900mm	6	75kg	JSD0020--GU	£244.73	-	-
2438mm	1500mm	900mm	6	104kg	JSD024--GU	£331.51	-	-



To specify upright colour please insert colour suffix GB, RD, GU or GX where dashes are shown. Maximum bay load for bays 1980mm high - 2000kg UDL, maximum bay load for bays over 1980mm high - 1500kg UDL

EVERYDAY SHELVING

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied.



STOCKRAX HEAVY DUTY SHELVING BAY

Strong and robust heavy duty adjustable shelving for manufacturing, engineering and production environments

- Bays are 1981mm high with 3 chipboard shelf levels on channel beams with feet and assembly instructions
- Quickly and easily assembled, requiring only a rubber mallet and screwdriver
- Extra shelf levels available



STOCKRAX HEAVY DUTY SHELVING BAY

Width	Depth	Shelf Load	Shelving Bay		Extra Shelf	
			Code	Price	Code	Price
900mm	450mm	320kg	SX203--GU*	£122.43	SX207GU	£23.81
900mm	600mm	180kg	SX204--GU	£133.06	SX208GU	£27.38
1200mm	450mm	350kg	SX201--GU*	£151.20	SX205GU	£33.37
1200mm	600mm	200kg	SX202--GU	£157.90	SX206GU	£35.64
1500mm	450mm	510kg	SX020--GU*	£160.57	SX120GU	£40.47
1500mm	600mm	275kg	SX021--GU	£171.98	SX121GU	£44.76
1500mm	900mm	104kg	SX022--GU*	£214.15	SX122GU	£50.50
1800mm	450mm	635kg	SX023--GU	£185.46	SX109GU	£44.76
1800mm	600mm	365kg	SX024--GU*	£200.13	SX110GU	£49.63
1800mm	900mm	210kg	SX025--GU	£241.89	SX111GU	£61.02
2100mm	450mm	650kg	SX026--GU*	£201.48	SX126GU	£49.55
2100mm	600mm	400kg	SX027--GU	£216.10	SX127GU	£55.03
2100mm	900mm	210kg	SX028--GU*	£249.61	SX128GU	£68.53
2400mm	450mm	600kg	SX029--GU	£213.58	SX112GU	£54.13
2400mm	600mm	445kg	SX013--GU	£231.36	SX113GU	£60.11
2400mm	900mm	210kg	SX014--GU	£274.71	SX114GU	£74.58



To specify upright colour insert GB, RD, GU or GX into the product code.



CONNECTOR PLATE

Connector plates are used to secure adjacent bays together. Four plates are needed to join two bays.

SXSRLGU	£1.52
---------	-------



Need Small Parts Containers?



Complete your workspace by adding some plastic containers. Containers can be stacked or hung off the rear louvre panels ensuring a clean and tidy workspace.

SEE PAGE 100

EVERYDAY SHELVING

WIRE SHELVING

Finished in a hard wearing, polished blue chrome, this shelving is becoming increasingly popular in the home. However, its main appeal is for use in commercial food storage and in sterile environments such as bakeries, restaurants, hospital storage facilities and cold storage rooms with added epoxy coating.

The open wire shelves allow for airflow between the products being stored.

Extra shelves are available as well as castors and shelf dividers to provide tailor made solutions.



Fast
Delivery



Quick
Assembly



WIRE SHELVING

Fully adaptable systems, offering a multitude of answers to a variety of storage problems.

Hardwearing polished chrome for dry-store areas, or silver-grey antibacterial epoxy coating, suitable for cold rooms, freezers and other damp conditions

- Open wire design increases airflow and reduces dust build-up
- A hardwearing, smooth snag free finish
- Strength with style and elegance
- Easy bolt free assembly
- Fully adjustable shelves



Castors can be added to bays to make transporting items around the workplace easy.



Wire shelving bays can be assembled in minutes. Simply snap the plastic shelf support collars in position on the uprights, then drop the shelf over the uprights and press into place. Fully adjustable shelves on 25mm pitch



Open wire design increases airflow and reduces dust build-up

Adjustable Feet



SHELF LOAD
240-300kg

CHROME WIRE SHELVING BAYS

A multi purpose chrome wire shelving bay with open wire construction to improve product visibility and allow for increased air circulation and minimising the accumulation of dust and moisture.

- 1625mm high starter and extension bays with 4 shelves
- Fully adjustable shelves every 25mm

			Starter Bay		Extension Bay		Extra Shelf	
Width	Depth	Bay Load	Code	Price	Code	Price	Code	Price
760mm	305mm	300kg	VEC32	£86.03	VEC32AO	£79.81	VEC1230	£13.57
915mm	305mm	300kg	VEC37	£92.48	VEC37AO	£86.24	VEC1236	£15.18
1220mm	305mm	240kg	VEC38	£108.08	VEC38AO	£101.90	VEC1248	£19.09
760mm	355mm	300kg	VEC35	£95.69	VEC35AO	£89.46	VEC1430	£15.98
915mm	355mm	300kg	VEC36	£101.63	VEC36AO	£95.45	VEC1436	£17.48
1220mm	355mm	240kg	VEC30	£128.47	VEC30AO	£108.35	VEC1448	£20.70
760mm	460mm	300kg	VEC43	£104.86	VEC43AO	£98.67	VEC1830	£20.64
915mm	460mm	300kg	VEC44	£111.32	VEC44AO	£105.12	VEC1836	£19.89
1220mm	460mm	240kg	VEC45	£130.66	VEC45AO	£124.45	VEC1848	£24.73
1520mm	460mm	240kg	VEC46	£155.95	VEC46AO	£149.75	VEC1860	£31.06
1820mm	460mm	240kg	VEC52	£175.28	VEC52AO	£169.07	VEC1872	£35.88
760mm	610mm	300kg	VEC47	£120.99	VEC47AO	£114.78	VEC2430	£22.32
915mm	610mm	300kg	VEC48	£130.66	VEC48AO	£124.45	VEC2436	£24.73
1220mm	610mm	240kg	VEC49	£146.76	VEC49AO	£140.53	VEC2448	£28.74
1520mm	610mm	240kg	VEC50	£175.28	VEC50AO	£169.07	VEC2460	£35.88
1820mm	610mm	240kg	VEC55	£194.61	VEC55AO	£188.37	VEC2472	£47.09

EVERYDAY SHELVING




SHELF LOAD
240-300kg

ANTI-BACTERIAL WIRE SHELVING BAYS

Epoxy coated wire shelving bay with anti-bacterial finish. Open wire construction improves product visibility and air circulation and minimises the accumulation of dust and moisture.

- 1625mm high starter bays with 4 shelves
- Fully adjustable shelves every 25mm
- 10 year anti-corrosion guarantee

Width	Depth	Bay Load	Starter Bay		Extra Shelf	
			Code	Price	Code	Price
760mm	305mm	300kg	VEPP32	£77.23	VEPP1230	£12.66
915mm	305mm	300kg	VEPP37	£86.78	VEPP1236	£14.16
1220mm	305mm	240kg	VEPP38	£92.03	VEPP1248	£16.88
760mm	355mm	300kg	VEPP35	£83.15	VEPP1430	£14.35
915mm	355mm	300kg	VEPP36	£99.36	VEPP1436	£17.30
1220mm	355mm	240kg	VEPP30	£113.48	VEPP1448	£20.82
760mm	460mm	300kg	VEPP43	£89.53	VEPP1830	£16.14
915mm	460mm	300kg	VEPP44	£101.00	VEPP1836	£17.67
1220mm	460mm	240kg	VEPP45	£121.57	VEPP1848	£22.83
1520mm	460mm	240kg	VEPP46	£146.40	VEPP1860	£29.06
1820mm	460mm	240kg	VEPP52	£160.65	VEPP1872	£32.61
760mm	610mm	280kg	VEPP47	£110.32	VEPP2430	£20.05
915mm	610mm	300kg	VEPP48	£119.40	VEPP2436	£22.30
1220mm	610mm	240kg	VEPP49	£140.10	VEPP2448	£27.46
1520mm	610mm	240kg	VEPP50	£174.52	VEPP2460	£36.09
1820mm	610mm	240kg	VEPP55	£202.02	VEPP2472	£42.97



LIPPED SHELF

Special shelf with 25mm high lip on all edges to keep stock on the shelves.

- Fully adjustable shelves every 25mm

Code	Width	Depth	Shelf Load	Each
VLS1836	915mm	460mm	300kg	£18.05
VLS1848	1220mm	460mm	240kg	£22.33



SLOPPING SHELF

Slopping shelves help display and view stored items.

Code	Width	Depth	Shelf Load	Each
VSLT1224/27	610mm	305mm	300kg	£15.69
VSLT1836/27	915mm	460mm	300kg	£24.09
VSLT1848/27	1220mm	460mm	240kg	£29.30



SWIVEL CASTORS FOR CHROME SHELVING

Create trolleys from shelving bays for the safe movement of goods.

Code	Description	Max Bay Load	Each
VR75BR	75mm Braked	210kg	£8.28
VR120BR	120mm Braked	300kg	£12.07
VR75UB	75mm Unbraked	210kg	£7.53
VR120UB	120mm Unbraked	300kg	£11.25

SHELF DIVIDERS

Dividers run from the front to back of a shelf to create picking locations or designated storage areas.


Code	Height	Depth	Each
VSD12	170mm	305mm	£3.77
VSD14	170mm	355mm	£4.15
VSD18	170mm	460mm	£4.51
VSD24	170mm	610mm	£5.63

Hygienic Work Environment

Our Stainless Steel Workbenches have easy to keep clean worktops, ideal for food preparation and hospital environments.



SEE PAGE 133



305mm deep wall shelves are 425mm from wall to front of bracket
355mm deep wall shelves are 475mm from wall to front of bracket
460mm deep wall shelves are 580mm from wall to front of bracket

CHROME CANTILEVER WALL WIRE SHELVING

Create extra storage space where a complete bay cannot fit.

- Includes 2 x 610mm wall posts and fixing brackets, shelf/shelves and 2 support arms for each shelf

FROM ONLY
£39.22

Code	Shelves	Width	Depth	Each
VCW30076/1	1	760mm	305mm	£39.22
VCW30091/1	1	760mm	355mm	£39.87
VCW30122/1	1	760mm	460mm	£42.80
VCW35076/1	1	915mm	305mm	£46.25
VCW35091/1	1	915mm	355mm	£48.63
VCW35121/1	1	1220mm	355mm	£53.32
VCW46076/1	1	760mm	460mm	£50.34
VCW46091/1	1	1220mm	355mm	£52.69
VCW46122/1	1	1220mm	460mm	£58.03
VCW30076/2	2	760mm	305mm	£63.26
VCW30091/2	2	760mm	355mm	£64.58
VCW30122/2	2	760mm	460mm	£70.49
VCW35076/2	2	915mm	305mm	£77.35
VCW35091/2	2	915mm	355mm	£82.11
VCW35121/2	2	1220mm	355mm	£91.41
VCW46076/2	2	760mm	460mm	£85.56
VCW46091/2	2	1220mm	355mm	£90.23
VCW46122/2	2	1220mm	460mm	£100.84

COMMERCIAL SHELVING

SPUR SHELVING

Spur Steel-lok shelving is a versatile, durable and strong wall mountable shelving product that enables you to make the most of any wall space available.

Ideal for home, office and many educational establishments. Provides an inexpensive solution when it is necessary to use wall mounted shelving. Available in a number of colours on request.



Fast Delivery



Quick Assembly



SPUR



SHELF LOAD
UP TO 100kg

SPUR BRACKETS

Genuine Spur Steel-Lok brackets clip into our Spur wall mounted uprights. Compatible with our Spur steel shelves or can be used with wooden shelves - veneered, mdf, plywood etc.

- Scratch resistant powder coated finish
- High strength 1.5mm thick quality steel

Code	Depth	Shelf Load	Type	Pack Quantity	Each
10XZZSLBH14W	145mm	83kg	2 slot base	10	£9.66
10XZZSLBH22W	220mm	75kg	2 slot base	10	£12.42
10XZZSLBH27W	270mm	60kg	2 slot base	10	£12.88
10XZZSLBH32W	320mm	55kg	2 slot base	10	£23.46
10XZZSLBH37W	370mm	100kg	3 slot base	10	£22.54
10XZZSLBH47W	470mm	72kg	3 slot base	10	£40.94
10XZZSLBR47W	470mm	85kg	Reinforced - 4 slot base	10	£51.75
10XZZSLBR61W	610mm	75kg	Reinforced - 4 slot base	10	£68.08

FROM ONLY
£9.66



SHELF LOAD
UP TO 200kg

SPUR SHELVES

Genuine Spur steel shelves fit into the steel-lok brackets. Easy clean and fully adjustable. Available in seven depths as listed.

- Scratch resistant powder coated finish
- Easy to install, adjust and add to

Code	Width	Depth	Shelf Load	Pack Quantity	Each
4XZZSL151000W	1000mm	150mm	166kg	4	£56.32
4XZZSL2251000W	1000mm	220mm	150kg	4	£62.24
4XZZSL2751000W	1000mm	270mm	120kg	4	£66.08
4XZZSL3251000W	1000mm	320mm	110kg	4	£71.84
4XZZSL3751000W	1000mm	370mm	200kg	4	£75.92
4XZZSL4751000W	1000mm	470mm	170kg	4	£94.32
4XZZSL6151000W	1000mm	610mm	150kg	4	£110.64

Full range of colours available, please call for detail. Bulk order discounts. Special lengths are available, please call for details

FROM ONLY
£56.32



SHELF LOAD
UP TO 200kg

SPUR SHELVING KITS

Genuine Spur Steel-Lok is internationally recognised as a premium quality British made brand of choice. These packs are complete with 2 uprights, 3 x 1m long shelves, 6 x brackets and 6 x spring rod ends. Standard units are painted in Frost White.

- Easy to install, adjust and add to
- Special sizes, colours and large volumes available upon request

Code	Height	Width	Depth	Shelves	Shelf Load	Each
VZTS3KIT220	1000mm	1000mm	220mm	3	150kg	£80.55
VZTS3KIT270	1000mm	1000mm	270mm	3	120kg	£84.10
VZTS3KIT320	1000mm	1000mm	320mm	3	110kg	£101.10
VZTS3KIT370	1000mm	1000mm	370mm	3	200kg	£103.68

Bulk order discounts

FROM ONLY
£80.55

SPUR UPRIGHTS

Genuine Spur Steel-lok uprights. Available in ten standard heights.

- Scratch resistant powder coated finish
- High strength 2mm thick quality steel
- Easy to install, adjust and add to

Code	Height	Pack Quantity	Each
10XZZSLU05W	170mm	10	£13.34
10XZZSLU052W	520mm	10	£25.99
10XZZSLU071W	710mm	10	£25.99
10XZZSLU100W	1000mm	10	£41.17
10XZZSLU122W	1220mm	10	£46.92
10XZZSLU150W	1500mm	10	£58.42
10XZZSLU180W	1795mm	10	£70.15
10XZZSLU198W	1980mm	10	£74.06
10XZZSLU220W	2200mm	10	£81.88
10XZZSLU240W	2400mm	10	£88.78

Bulk order discounts. Special lengths are available, please call for details

FROM ONLY
£13.34



SPUR BOOKENDS

Genuine Spur spring rod bookends clip into our Spur Wall Mounted Uprights. Supplied in pairs.

- Scratch resistant powder coated finish
- Easy to install, adjust and add to

Code	Depth	Each
ZZSLSR15W	150mm	£6.30
ZZSLSR20W	200mm	£6.88
ZZSLSR25W	250mm	£7.68

Bulk order discounts

FROM ONLY
£6.30



COMMERCIAL SHELVING

ARCHIVE, FILING AND BIN BAYS

Range of shelving units designed to offer quick and easy solutions to specific storage requirements.

- Stockrax archive and filing bays offer a simple economic solution to short and long term filing needs around the workplace

- For where items need to be organised, sorted and stored by type our binning units are the answer
- Choice of sizes and configurations
- Stormor Bin units have adjustable dividers allowing you to alter the compartment sizes to meet specific needs, with dividers adjustable every 75mm along the shelf



30 boxes



70 boxes



ARCHIVE SHELVING BAYS

These easy to assemble shelving bays come complete with archive boxes in 4 different profiles to meet most archiving requirements.

- Boxes are: 266H x 356W x 445D mm with internal dimensions of 254H x 330W x 407D mm
- Uprights finished in Red



SHELF LOAD
635kg

ARCHIVE SHELVING BAYS

Code	Boxes Stored	Height	Width	Depth	Each
JAU30RDGU*	30	2050mm	1800mm	450mm	£335.40
JAU35RDGU	35	2270mm*	1800mm	900mm	£363.11
JAU60RDGU*	60	2050mm	1800mm	450mm	£557.91
JAU70RDGU	70	2270mm*	1800mm	900mm	£618.71



* Height to top of box

EXTRA ARCHIVE BOX

Code	Height	Width	Depth	Each
FBFFA5005	266mm	356	445mm	£4.81

FROM ONLY
£335.40



LEVER ARCH FILE SHELVING

Easy to assemble shelving bays complete with A4 file holders.

- Choice of 20 or 50 file capacity bays

Code	Files Stored	Height	Width	Depth	Each
20A4--GU	20	915mm	1000mm	300mm	£122.69
50A4--GU*	50	1980mm	1000mm	300mm	£255.04



To specify upright colour insert GB, RD, GU or GX into the product code.

FROM ONLY
£122.69

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor.

Bays with codes followed with an * contain floor fixings.



12 compartments



18 compartments

STORMOR BIN UNITS

Choice of compartments sizes. You can move or remove dividers to create different configurations as you wish

- Overall bay size 1850H x 900W x 300Dmm
- Shelves are pierced every 75mm to accept dividers

Code	No. of CMPTS	CMPT size H x W x D mm	Type	Each
SBU18593/12S*	12	300 x 450 x 300	Starter	£156.37
SBU18593/12E*	12	300 x 450 x 300	Extension	£136.06
SBU18593/18S*	18	300 x 300 x 300	Starter	£173.25
SBU18593/12E*	18	300 x 300 x 300	Extension	£154.21

FROM ONLY
£136.06



16 compartments



18 compartments



36 compartments



SHELF LOAD
40kg

STEEL BIN SHELVING

High density Steel Bin Shelving for clear identification of stored components

- Bays are 1850mm high and 942mm wide
- Manufactured from heavy 1mm and 1.2mm steel
- All units supplied complete and fully assembled ready for immediate use
- Available in red, blue and green also - please enquire

Code	Description	Depth	Each
VRBF141	16 compartments - W445mm x H220mm	355mm	£373.42
VRBF142	16 compartments - W445mm x H220mm	460mm	£407.78
VRBF147	18 compartments - W296mm x H293mm	355mm	£395.58
VRBF148	18 compartments - W296mm x H293mm	460mm	£435.31
VRBF144	36 compartments - W148mm x H293mm	355mm	£490.52
VRBF145	36 compartments - W148mm x H293mm	460mm	£542.93

FROM ONLY
£373.42

COMMERCIAL SHELVING

STORMOR SHELVING

The Commercial Shelving offering from Link51 is known as Stormor Shelving and manufactured in the UK. It comes in a light grey finish.

Stormor has all the benefits you would expect from a high quality shelving, giving a truly versatile and interchangeable system. A steel bolt free, clip shelving system with a huge range of accessories with widths up to 1250mm & Shelf loads up to 70Kgs. Smart enough for any office and flexible enough for many retail environments - back and front of house. This shelving has to be a winner in today's e-commerce world.



STORMOR OPEN SHELVING

Versatile and fully adjustable open upright shelving system. Ideal for general storage. The slim profile uprights and shelves are aesthetically pleasing making Stormor Open shelving ideal for today's modern office and commercial environment.

- All steel construction
- Supplied flat pack for easy assembly
- Easily adjustable shelves on 25mm pitch



NEED A DIFFERENT SIZE?

Sizes shown are only a small part of our range. Phone for more information

Shelving Starter and Extension bays make ordering easy. To create a run just order a starter bay and the correct number of extensions bays.



Open starter bay

Open extension bay



SHELF LOAD
UP TO 70kg

LINK 51 STORMOR OPEN BAY SHELVING

Rear of bays are open with cross bracing

- Extra shelves (sold separately) includes 4 shelf clips



Height	Width	Depth	Shelves	Shelf Load	Starter Bay		Extension Bay		Extra Level	
					Code	Price	Code	Price	Code	Price
1850mm	1000mm	300mm	6	70kg	SMM181300S6°	£107.27	SMM181300E6°	£84.91	SMS130	£8.71
1850mm	1000mm	370mm	6	70kg	SMM181370S6°	£115.72	SMM181370E6°	£93.06	SMS137	£10.02
1850mm	1000mm	450mm	6	70kg	SMM181450S6°	£124.24	SMM181450E6°	£101.23	SMS145	£11.32
1850mm	1000mm	600mm	6	45kg	SMM181600S6°	£140.86	SMM181600E6°	£117.17	SMS160	£13.86
1850mm	1250mm	300mm	6	45kg	SMM1812300S6°	£122.19	SMM1812300E6°	£99.83	SMS1230	£10.95
1850mm	1250mm	370mm	6	45kg	SMM1812370S6°	£132.91	SMM1812370E6°	£110.25	SMS1237	£12.64
1850mm	1250mm	450mm	6	45kg	SMM1812450S6°	£143.84	SMM1812450E6°	£120.84	SMS1245	£14.34
2150mm	1000mm	300mm	6	70kg	SMM211300S6°	£119.07	SMM211300E6°	£101.61	SMS130	£13.86
2150mm	1000mm	370mm	6	70kg	SMM211370S6°	£127.68	SMM211370E6°	£101.61	SMS137	£10.95
2150mm	1000mm	450mm	6	70kg	SMM211450S6°	£136.44	SMM211450E6°	£109.90	SMS145	£12.64
2150mm	1000mm	600mm	6	45kg	SMM211600S6°	£153.50	SMM211600E6°	£126.06	SMS160	£14.34
2150mm	1250mm	300mm	6	45kg	SMM2112300S6°	£134.72	SMM2112300E6°	£109.04	SMS1230	£10.95
2150mm	1250mm	370mm	6	45kg	SMM2112370S6°	£127.68	SMM2112370E6°	£101.61	SMS1237	£12.64
2150mm	1250mm	450mm	6	45kg	SMM2112450S6°	£156.79	SMM2112450E6°	£130.25	SMS1245	£14.34
2450mm	1000mm	300mm	7	70kg	SMM241300S7°	£131.64	SMM241300E7°	£104.03	SMS130	£8.71
2450mm	1000mm	370mm	7	70kg	SMM241370S7°	£141.56	SMM241370E7°	£113.56	SMS137	£10.02
2450mm	1000mm	450mm	7	70kg	SMM241450S7°	£151.59	SMM241450E7°	£123.14	SMS145	£11.32
2450mm	1250mm	300mm	7	45kg	SMM2412300S7°	£149.54	SMM2412300E7°	£121.92	SMS1230	£10.95
2450mm	1250mm	370mm	7	45kg	SMM2412370S7°	£162.10	SMM2412370E7°	£134.10	SMS1237	£12.64
2450mm	1250mm	450mm	7	45kg	SMM2412450S7°	£174.96	SMM2412450E7°	£146.51	SMS1245	£14.34

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor: fixings available; please ask.

COMMERCIAL SHELVING

STORMOR SIDE CLAD SHELVING

Cost effective fully adjustable single skin upright shelving system. Stormor clad uprights are manufactured from one-piece steel and feature a delta front edge with no sharp edges, so eliminating snagging when loading shelves.

- Choice of open back or back clad shelving bays
- Supplied flat pack with 6 shelves for easy assembly
- Easily adjustable shelves on 25mm pitch



NEED A DIFFERENT SIZE?

Sizes shown are only a small part of our range. Phone for more information

LINK51



SHELF LOAD
UP TO 70kg

LINK 51 STORMOR OPEN BACK SHELVING BAY



Shelving starter and extension bays make ordering easy. To create a run just order a starter bay and the correct number of extensions bays.



Solid clad back starter bay

Open back extension bay

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor.

Bay codes followed with an * indicate floor fixings supplied.

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Level	
				Code	Price	Code	Price	Code	Price
1850mm	1000mm	300mm	70kg	SMS18130OS6*	£101.38	SMS18130OE6*	£81.07	SMS130	£8.71
1850mm	1000mm	370mm	70kg	SMS18137OS6*	£115.21	SMS18137OE6*	£91.91	SMS137	£10.02
1850mm	1000mm	450mm	70kg	SMS18145OS6*	£127.42	SMS18145OE6*	£101.93	SMS145	£11.32
1850mm	1000mm	600mm	45kg	SMS18160OS6*	£155.14	SMS18160OE6*	£123.41	SMS160	£13.86
1850mm	1250mm	300mm	45kg	SMS181230OS6*	£116.26	SMS181230OE6*	£95.96	SMS1230	£10.95
1850mm	1250mm	370mm	45kg	SMS181237OS6*	£132.36	SMS181237OE6*	£109.06	SMS1237	£12.64
1850mm	1250mm	450mm	45kg	SMS181245OS6*	£147.00	SMS181245OE6*	£121.50	SMS1245	£14.34
2150mm	1000mm	300mm	70kg	SMS21130OS6*	£109.81	SMS21130OE6*	£87.41	SMS130	£8.71
2150mm	1000mm	370mm	70kg	SMS21137OS6*	£124.26	SMS21137OE6*	£98.56	SMS137	£10.02
2150mm	1000mm	450mm	70kg	SMS21145OS6*	£137.18	SMS21145OE6*	£108.93	SMS145	£11.32
2150mm	1000mm	600mm	45kg	SMS21160OS6*	£166.26	SMS21160OE6*	£131.10	SMS160	£13.86
2150mm	1250mm	300mm	45kg	SMS211230OS6*	£125.43	SMS211230OE6*	£103.03	SMS1230	£10.95
2150mm	1250mm	370mm	45kg	SMS211237OS6*	£142.14	SMS211237OE6*	£116.44	SMS1237	£12.64
2150mm	1250mm	450mm	45kg	SMS211245OS6*	£157.48	SMS211245OE6*	£129.23	SMS1245	£14.34




SHELF LOAD
UP TO 70kg

LINK 51 STORMOR CLAD BACK SHELVING BAY

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Level	
				Code	Price	Code	Price	Code	Price
1850mm	1000mm	300mm	70kg	SMS18130CS6*	£137.27	SMS18130CE6*	£116.96	SMS130	£8.71
1850mm	1000mm	370mm	70kg	SMS18137CS6*	£151.10	SMS18137CE6*	£127.80	SMS137	£10.02
1850mm	1000mm	450mm	70kg	SMS18145CS6*	£163.31	SMS18145CE6*	£137.81	SMS145	£11.32
1850mm	1000mm	600mm	45kg	SMS18160CS6*	£191.03	SMS18160CE6*	£159.30	SMS160	£13.86
1850mm	1250mm	300mm	45kg	SMS181230CS6*	£158.36	SMS181230CE6*	£138.05	SMS1230	£10.95
1850mm	1250mm	370mm	45kg	SMS181237CS6*	£174.46	SMS181237CE6*	£151.16	SMS1237	£12.64
1850mm	1250mm	450mm	45kg	SMS181245CS6*	£189.09	SMS181245CE6*	£163.60	SMS1245	£14.34
2150mm	1000mm	300mm	70kg	SMS21130CS6*	£146.80	SMS21130CE6*	£124.40	SMS130	£8.71
2150mm	1000mm	370mm	70kg	SMS21137CS6*	£161.24	SMS21137CE6*	£135.54	SMS137	£10.02
2150mm	1000mm	450mm	70kg	SMS21145CS6*	£174.16	SMS21145CE6*	£145.91	SMS145	£11.32
2150mm	1000mm	600mm	45kg	SMS21160CS6*	£203.24	SMS21160CE6*	£168.08	SMS160	£13.86
2150mm	1250mm	300mm	45kg	SMS211230CS6*	£168.96	SMS211230CE6*	£146.56	SMS1230	£10.95
2150mm	1250mm	370mm	45kg	SMS211237CS6*	£185.68	SMS211237CE6*	£159.98	SMS1237	£12.64
2150mm	1250mm	450mm	45kg	SMS211245CS6*	£201.02	SMS211245CE6*	£172.77	SMS1245	£14.34

COMMERCIAL SHELVING



FROM ONLY
£6.61

BIN FRONT

When fitted, this prevents items falling off the front of the shelves

- When used with dividers this forms compartments or bins

Code	Height	Width	Each
SZABF025F1000GU	25	1000	£6.61
SZABF050F1000GU	50	1000	£7.19
SZABF075F1000GU	75	1000	£8.24
SZABF100F1000GU	100	1000	£8.95
SZAPPLUG			£0.34

25 & 50mm high fronts require 2 off SZAPPLUG, 75 & 100mm high fronts require 4 off SZAPPLUG



FROM ONLY
£200.34

FULL HEIGHT DOOR KITS FOR OPEN BAY SHELVING

Hinged doors transform shelving into a secure storage cupboard

- Doors feature vertical stiffeners and 3-point locking
- Light grey textured paint finish, fits 1000mm bays only

Code	Height	Each
SZADM1850H1000GU	1850	£200.34
SZADM2150H1000GU	2150	£212.04

FULL HEIGHT DOOR KITS FOR CLAD SHELVING

Hinged doors transform shelving into a secure storage cupboard

- Doors feature vertical stiffeners and 3-point locking
- Light grey textured paint finish, fits 1000mm bays only

Code	Height	Each
SZADS1850H1000GU	1850	£203.69
SZADS2150H1000GU	2150	£214.45

Doors cannot be put on consecutive bays using Stormor Side Clad shelving




FROM ONLY
£140.00

PULL OUT DRAWER

Pull-out drawer available in 2 heights. Ideal for storage of cd's

- Drawer slides out on telescopic arms
- Light grey finish, fits 1000mm bays only

Code	Height	Depth	Each
SZPOD1000370P100GU	100	370	£140.00
SZPOD1000370P150GU	150	370	£141.00
SZPOD1000450P150GU	150	450	£151.00




FROM ONLY
£2.96

BACK STOP

Zinc plated rod which fits across the rear of the bays to prevent items falling off the back.

Code	Width	Each
SZABS004R1000ZC	1000	£2.96




FROM ONLY
£4.32

GARMENT HANGING

A system of rails and brackets which fit within the bay widths to allow for the hanging of garments

- Rails can be repositioned as required

Code	Description	Depth	Each
SZAGR25S1000GS	Rail 25mm Dia x 1000mm		£4.32
SZAHSC1225300GU	Support Channel	300	£7.00
SZAHSC1225450GU	Support Channel	450	£9.00
SZAHSC1225600GU	Support Channel	600	£9.50



FROM ONLY
£4.03

PART HEIGHT DIVIDER

150mm high divider which slots into either the top or bottom of a shelf to provide storage sections or support for files

Code	Height	Depth	Each
SZDP370GU	150	370	£4.03
SZDP450GU	150	450	£4.56
SZDP600GU	150	600	£5.46



FROM ONLY
£2.81

DOCUMENT SHELF DIVIDER

Slim profile divider designed to be used with paper storage ensuring minimal wasted space on the shelf

Code	Height	Depth	Each
SZDF300300GU	300	300	£2.81
SZDF300370GU	300	370	£3.35
SZDF300450GU	300	450	£3.70
SZDF400300GU	400	300	£4.35
SZDF400370GU	400	370	£5.26
SZDF400450GU	400	450	£5.86
SZDF450300GU	450	300	£4.66
SZDF450370GU	450	370	£5.63
SZDF450450GU	450	450	£6.30

LINK51



FROM ONLY
£3.68

GENERAL PURPOSE DIVIDER

Used to divide shelves horizontally into smaller storage compartments.

Code	Height	Depth	Each
0150DP0300GU	150mm	300mm	£3.68
0150DP0450GU	150mm	450mm	£4.28
0150DP0600GU	150mm	600mm	£5.16
0300DF0300GU	300mm	300mm	£3.84
0300DF0370GU	300mm	370mm	£4.10
0300DF0400GU	300mm	400mm	£4.21
0300DF0450GU	300mm	450mm	£4.40
0400DF0300GU	400mm	300mm	£4.49
0400DF0370GU	400mm	370mm	£4.84
0400DF0450GU	400mm	450mm	£5.25
0450DF0300GU	450mm	300mm	£4.81
0450DF0370GU	450mm	370mm	£5.23
0450DF0450GU	450mm	450mm	£5.69



FROM ONLY
£102.00

PULL OUT SHELF

Provides a flat and stable work surface within a storage bay

- Shelf slides out on telescopic arms
- Light grey finish, fits 1000mm bays only

Code	Depth	Each
SZPORS1000370GU	370	£102.00
SZPORS1000450GU	450	£114.00

COMMERCIAL SHELVING

IKON OFFICE SHELVING

The Probe Ikon range is made in UK and its white and stylish finish makes it a strong choice for commercial environments. With 100kg shelf load and available in one height 1830mm.

The anti-bacterial coating makes it popular in hospitals. The wide range of accessories means it can offer flexible storage solutions.



Hard wearing White, anti-bacterial, powder coating make this system suitable for clean environments
All bays are 1830mm high with 6 shelf levels and are quick & easy to assemble with a 100kg shelf load
Accessories available include Doors, Dividers, Pull-out Shelves and File Cradles. Call for details



SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor.
Bay codes followed with an * indicate floor fixings supplied.



IKON OPEN BACK SHELVING BAYS

		Starter Bay		Extension Bay	
Width	Depth	Code	Price	Code	Price
900mm	300mm	VMS189003000ST*	109.90	VMS189003000EX*	90.24
900mm	350mm	VMS189003500ST*	119.08	VMS189003500EX*	97.58
900mm	400mm	VMS189004000ST*	128.41	VMS189004000EX*	104.77
900mm	450mm	VMS189004500ST*	139.42	VMS189004500EX*	113.17
900mm	600mm	VMS189006000ST	180.43	VMS189006000EX	146.89
1000mm	300mm	VMS1810003000ST*	112.97	VMS1810003000EX*	93.31
1000mm	350mm	VMS1810003500ST*	122.45	VMS1810003500EX*	100.94
1000mm	400mm	VMS1810004000ST*	132.37	VMS1810004000EX*	108.73
1000mm	450mm	VMS1810004500ST*	143.38	VMS1810004500EX*	117.13
1000mm	600mm	VMS1810006000ST	186.10	VMS1810006000EX	152.55

Bays can carry up to 600kg per bay

NEED ACCESSORIES?

Doors, Dividers, Pull-out Shelves and File Cradles.
Call for details.



IKON REAR CLAD SHELVING BAYS

		Starter Bay		Extension Bay	
Width	Depth	Code	Price	Code	Price
900mm	300mm	VMS18900300CST*	132.07	VMS18900300CEX*	112.41
900mm	350mm	VMS18900350CST*	141.26	VMS18900350CEX*	119.75
900mm	400mm	VMS18900400CST*	150.58	VMS18900400CEX*	126.94
900mm	450mm	VMS18900450CST*	161.60	VMS18900450CEX*	135.34
900mm	600mm	VMS18900600CST	202.60	VMS18900600CEX	169.06
1000mm	300mm	VMS181000300CST*	135.45	VMS181000300CEX*	115.79
1000mm	350mm	VMS181000350CST*	144.93	VMS181000350CEX*	123.43
1000mm	400mm	VMS181000400CST*	154.85	VMS181000400CEX*	131.21
1000mm	450mm	VMS181000450CST*	165.87	VMS181000450CEX*	139.61
1000mm	600mm	VMS181000600CST	208.58	VMS181000600CEX	175.03

Bays can carry up to 600kg per bay

PROBE



EURO SHELVING

A well respected UK manufactured shelving system which is simple and fast to assemble but produces extremely rigid structures. Clad and Open available; complete with 6 shelves taking loads of up to 160kg.

Extensive accessories make it possible to deliver bespoke solutions that are suitable for all industrial environments and much more.

Comes with a wide range of accessories to allow you to tailor your shelving to meet your exact needs.




LINK 51 EURO SHELVING

Heavy duty, fully adjustable steel shelving system offering simple and fast assembly. Shelves are located on clips which slot into the upright, creating an extremely rigid structure in which shelves can be repositioned when required. With its modular design you can extend the shelving system at any time, to meet your future storage requirements.

- Easy clip together assembly
- Robust steel shelving designed to suit any working environment
- Each bay comes with 6 steel shelves
- UDL Shelf loads 300, 400 and 450d mm shelves - 160kg. 600d mm shelf - 135kg
- Available as Open All Round or Fully Clad bays

LINK51



EURO SHELVING EXTRA CROSS BRACING

Each brace assembly provides essential bracing for 12 bays of open shelving. Starter bays come complete with brace but extra braces are required if run exceeds 11 extension bays.

DCXB51000ZC £14.09



SHELF LOAD
UP TO 160kg

LINK 51 EURO SHELVING OPEN BAY

Open Bays - Side and rear of bays are open sided with cross bracing.



SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied.

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Shelf	
				Code	Price	Code	Price	Code	Price
1800mm	1000mm	300mm	160kg	1800S6N0300NGUGU*	£178.01	1800E6N0300NGUGU*	£134.24	ES0300	£12.73
1800mm	1000mm	400mm	160kg	1800S6N0400NGUGU*	£193.20	1800E6N0400NGUGU*	£148.15	ES0400	£14.84
1800mm	1000mm	450mm	160kg	1800S6N0450NGUGU	£205.19	1800E6N0450NGUGU	£159.11	ES0450	£16.49
1800mm	1000mm	600mm	135kg	1800S6N0600NGUGU	£229.35	1800E6N0600NGUGU	£181.41	ES0600	£19.90
2100mm	1000mm	300mm	160kg	2100S6N0300NGUGU*	£181.13	2100E6N0300NGUGU*	£122.23	ES0300	£12.73
2100mm	1000mm	400mm	160kg	2100S6N0400NGUGU*	£196.31	2100E6N0400NGUGU*	£136.20	ES0400	£14.84
2100mm	1000mm	450mm	160kg	2100S6N0450NGUGU*	£206.88	2100E6N0450NGUGU*	£145.31	ES0450	£16.49
2100mm	1000mm	600mm	135kg	2100S6N0600NGUGU	£227.89	2100E6N0600NGUGU	£166.43	ES0600	£19.90

**NEED A
DIFFERENT
SIZE?**

Sizes shown are only a small part of our range. Phone for more information



SHELF LOAD
UP TO 160kg

LINK 51 EURO SHELVING CLAD BAY

Clad Bays - Sides and rear of bays are solid clad.

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Shelf	
				Code	Price	Code	Price	Code	Price
1800mm	1000mm	300mm	160kg	1800S6C0300CGUGU ^o	£244.17	1800E6C0300CGUGU ^o	£184.78	ES0300	£12.73
1800mm	1000mm	400mm	160kg	1800S6C0400CGUGU ^o	£264.56	1800E6C0400CGUGU ^o	£201.29	ES0400	£14.84
1800mm	1000mm	450mm	160kg	1800S6C0450CGUGU ^o	£282.44	1800E6C0450CGUGU ^o	£215.20	ES0450	£16.49
1800mm	1000mm	600mm	135kg	1800S6C0600CGUGU ^o	£319.23	1800E6C0600CGUGU ^o	£243.81	ES0600	£19.90
2100mm	1000mm	300mm	160kg	2100S6C0300CGUGU ^o	£242.68	2100E6C0300CGUGU ^o	£183.02	ES0300	£12.73
2100mm	1000mm	400mm	160kg	2100S6C0400CGUGU ^o	£263.82	2100E6C0400CGUGU ^o	£199.95	ES0400	£14.84
2100mm	1000mm	450mm	160kg	2100S6C0450CGUGU ^o	£279.75	2100E6C0450CGUGU ^o	£199.95	ES0450	£16.49
2100mm	1000mm	600mm	135kg	2100S6C0600CGUGU ^o	£328.89	2100E6C0600CGUGU ^o	£248.45	ES0600	£19.90

LINK 51 EURO SHELVING ACCESSORIES

- Our range of accessories are ideal for the creation of custom designed storage facilities
- Accessories can be easily retro-fitted allowing you to add to your shelving as your storage needs change



PULL OUT FULL WIDTH DRAWER

Fitted onto telescopic arms the pull-out drawer is ideal for storage of cd's. 150mm high.

Code	Depth	Each
EUPOD1000400P150GU	400mm	£189.16
EUPOD1000450P150GU	450mm	£191.74
EUPOD1000600P150GU	600mm	£193.00



PULL OUT SUSPENSION FILING CRADLE

Can accommodate A4 and foolscap top loaded suspension files. Cradle slides out on telescopic arms.


Code	Depth	Each
EUPOF1000450GU	450mm	£165.00
EUPOF1000600GU	600mm	£166.27



PULL OUT SHELF

Slides out from the bay on telescopic slides. Provides a flat and stable work surface within a storage bay.

Code	Depth	Each
EUPORS1000450GU	450mm	£139.00
EUPORS1000600GU	600mm	£140.26



GENERAL PURPOSE DIVIDER

Used to divide shelves horizontally into smaller storage compartments.

Code	Height	Depth	Each
0300DF0300GU	300mm	300mm	£3.84
0300DF0370GU	300mm	370mm	£4.10
0300DF0400GU	300mm	400mm	£4.21
0300DF0450GU	300mm	450mm	£4.40
0400DF0300GU	400mm	300mm	£4.49
0400DF0370GU	400mm	370mm	£4.84
0400DF0450GU	400mm	450mm	£5.25
0450DF0300GU	450mm	300mm	£4.81
0450DF0370GU	450mm	370mm	£5.23
0450DF0450GU	450mm	450mm	£5.69



PART HEIGHT DIVIDER

Used to divide shelves horizontally into smaller storage compartments.

Code	Height	Depth	Each
0150DP0300GU	150mm	300mm	£3.68
0150DP0450GU	150mm	450mm	£4.28
0150DP0600GU	150mm	600mm	£5.16



GARMENT HANGING RAIL

Fits between 2 support brackets. Rails are 1000mm wide in a choice of 12.5 or 25mm diameter.

Code	Diameter	Each
SZAGR12S1000GS	12.5mm	£2.64
SZAGR25S1000GS	25mm	£4.32

GARMENT HANGING SUPPORT BRACKET

Brackets which fit within the bay widths to allow rails for hanging of garments to be fitted. Rails can be repositioned as required.

Code	To Suit Bay Depth	Each
GHSC12250300ZC	300mm	£10.00
GHSC12250400ZC	400mm	£11.76
GHSC12250450ZC	450mm	£12.34
GHSC12250600ZC	600mm	£13.01



BIN FRONT

When fitted, this prevents items falling off the front of the shelves. When used with dividers this forms compartments or bins.

Code	Height	Width	Each
0050BFF1000GU	50mm	1000mm	£5.74
0100BFF1000GU	100mm	1000mm	£6.65



PLASTIC DRAWER UNIT

Ideal for the storage of small items. The Light Grey plastic drawers tilt on integrated back-stops to allow easy viewing and access.

Code	Height	Width	Depth	Each
DU1	150mm	138mm	281mm	£3.40
DU2	128mm	207mm	281mm	£4.85
DU3	128mm	138mm	431mm	£4.65

Easy Access

Need to access high shelving bays?
Find the right solution in our Steps and Ladders section.



SEE PAGE 140

INDUSTRIAL SHELVING

GARMENT HANGING

Accessible garment hanging solutions, which is easy to assemble and suitable for many applications. Stockrux is easily adjusted and can accommodate changing stock requirements and is versatile and a favourite for domestic use.



Whilst Longspan is geared towards Retail, Wholesale and e-fulfilment requirements as it is robust, quickly re-configured and able to carry greater weight due to the span of the bay



STOCKRUX GARMENT HANGING

Simple beam and upright storage system makes it ideal for retail, stockrooms, laundry operations and workplace clothing storage

- Choice of double sided or single sided wall perimeter rails
- Rails easily adjusted to accommodate changing stock requirements
- Optional shelf available for double sided bays to provide further flexibility



FROM ONLY
£53.31

SINGLE SIDED PERIMETER BAY

Contains uprights, rails, footplates, end caps and fixing brackets.

Code	Height	Width	Depth	Levels	Each
SX095--	1980mm	1000mm	300mm	2	£53.31
SX096--	1980mm	1200mm	300mm	2	£55.91
SX097--	1980mm	1500mm	300mm	2	£60.79
SX098--	2400mm	1000mm	300mm	2	£54.81
SX099--	2400mm	1200mm	300mm	2	£57.41
SX100--	2400mm	1500mm	300mm	2	£62.27
SX150--	3000mm	1000mm	300mm	3	£71.85
SX151--	3000mm	1200mm	300mm	3	£75.32
SX152--	3000mm	1500mm	300mm	3	£81.83

GB RD GU GX

To specify upright colour insert GB, RD, GU or GX into the product code.



FROM ONLY
£84.68


DOUBLE SIDED BAY

Contains uprights, rails, footplates and end caps.

Code	Height	Width	Depth	Levels	Each
SX086--	1980mm	1000mm	600mm	3	£84.68
SX087--	1980mm	1200mm	600mm	3	£89.90
SX088--	1980mm	1500mm	600mm	3	£99.65
SX089--	2400mm	1000mm	600mm	3	£87.66
SX090--	2400mm	1200mm	600mm	3	£92.85
SX091--	2400mm	1500mm	600mm	3	£102.61
SX092--°	3000mm	1000mm	600mm	4	£114.48
SX093--°	3000mm	1200mm	600mm	4	£121.39
SX094--°	3000mm	1500mm	600mm	4	£134.39

GB RD GU GX

To specify upright colour insert GB, RD, GU or GX into the product code.



OPTIONAL SHELF

Code	Width	Depth	Description	Each
SX186GU	1000mm	600mm	Optional Shelf - chipboard shelf for double sided bays. Two beams and chipboard.	£24.44
SX187GU	1200mm	600mm	Optional Shelf - chipboard shelf for double sided bays. Two beams and chipboard.	£25.28
SX188GU	1500mm	600mm	Optional Shelf - chipboard shelf for double sided bays. Two beams and chipboard.	£30.73

LONGSPAN GARMENT HANGING

Modular, easily adjustable system, offering versatile storage for hanging garments. Ideal solution for retail, wholesale, distribution and e-fulfilment stock applications. The simple tap together design allows for easy dismantling, relocation or storage as stock requirements demand

- Beam positions can be quickly and efficiently adjusted on 50mm pitch to provide optimum garment storage combinations, adapting to suit your seasonal range change requirements
- Minimum 2 bay run required.
- Additional extension bays can be added to provide longer runs

Code	Height	Width	Depth	Description	Each
GHB24185022BR	2400mm	1800mm	500mm	Initial 1 off Starter Bay and 1 off Extension Bay	£377.51
GHB24185022EB	2400mm	1800mm	500mm	Extension Bay	£140.09
LTB1800GW		1800mm		Additional Beam	£12.91
ZD				Beam Locking Clips - TWO are required per beam	£0.09

Hanging Garment runs must be floor fixed

FROM ONLY
£140.09



MINIPAL SHELVING

Minipal is a cost-effective storage solution for warehouses and workshops. Available in a range of sizes, it offers great storage space and is ideal for use in a range of sectors and industries.

Best of all, we can offer extremely fast turnaround.

The sturdy beams are clad with a flush fitting chipboard shelf, and can hold up to 495kg uniformly distributed loads. They're also adjustable at 50mm incremental pitches, which offers your customers even greater storage flexibility.



POLYPAL MINIPAL GALVATITE WIDESPAN SHELVING SYSTEM

Easy to adjust galvatite shelving system. Beams simply locate into the front face of the upright and clad with a flush fitting 22mm chipboard shelf.

- Starter and extension bays in a range of sizes
- Bays come with 3 shelf levels, extra levels available
- Beams adjustable on 50mm incremental pitch

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor.
Bay codes followed with an * indicate floor fixings supplied.



Frames are fixed down through bolt on footplates



22mm chipboard shelves fit flush to the top of the beam making loading snag free



Locking pins ensure beams cannot be accidentally dislodged

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Level	
				Code	Price	Code	Price	Code	Price
1800mm	1800mm	450mm	495kg	MS181845	133.40	ME181845	105.94	MEL1845	27.46
1800mm	1800mm	600mm	495kg	MS181860	137.20	ME181860	107.84	MEL1860	29.36
1800mm	1800mm	900mm	215kg	MS181890	145.31	ME181890	111.90	MEL1890	33.41
1800mm	2100mm	450mm	428kg	MS182145	145.74	ME182145	118.29	MEL2145	30.80
1800mm	2100mm	600mm	428kg	MS182160	149.54	ME182160	120.19	MEL2160	32.52
1800mm	2100mm	900mm	250kg	MS182190	157.65	ME182190	124.24	MEL2190	36.34
1800mm	2400mm	450mm	377kg	MS182445	158.04	ME182445	130.59	MEL2445	35.65
1800mm	2400mm	600mm	377kg	MS182460	161.84	ME182460	132.49	MEL2460	37.82
1800mm	2400mm	900mm	286kg	MS182490	169.95	ME182490	136.54	MEL2490	42.54
2100mm	1800mm	450mm	495kg	MS211845*	140.09	ME211845*	109.29	MEL1845	27.46
2100mm	1800mm	600mm	495kg	MS211860	143.52	ME211860	111.00	MEL1860	29.36
2100mm	1800mm	900mm	215kg	MS211890	151.16	ME211890	114.82	MEL1890	33.41
2100mm	2100mm	450mm	428kg	MS212145*	152.44	ME212145*	121.63	MEL2145	30.80
2100mm	2100mm	600mm	428kg	MS212160	155.86	ME212160	123.35	MEL2160	32.52
2100mm	2100mm	900mm	250kg	MS212190	163.50	ME212190	127.16	MEL2190	36.34
2100mm	2400mm	450mm	377kg	MS212445*	164.74	ME212445*	133.93	MEL2445	35.65
2100mm	2400mm	600mm	377kg	MS212460	168.16	ME212460	135.65	MEL2460	37.82
2100mm	2400mm	900mm	286kg	MS212490	175.80	ME212490	139.46	MEL2490	42.54

INDUSTRIAL SHELVING

LINK 51 LONGSPAN SHELVING

Link 51 Longspan shelving comes in graphite grey uprights and grey beams. It is used to store bulky or long items of up to 780kg per shelf level.

Longspan has chipboard or galvanised steel panels with chipboard taking the greatest load. It is therefore the ideal system for storing boxes, clothes, loose items, and much more. By using starter and extension bays it is easy to create long runs in any warehouse environment



LINK 51 LONGSPAN SHELVING

Hand loaded, widespan heavy duty shelving system.

- Unrestricted shelf levels allow for easy access
- Easy to install and adjust
- Bays are 1800mm and 2100mm high, supplied with 3 shelf levels
- Graphite grey steel uprights with galvatite braces and light grey beams
- Contains 2 frames (1 in an extension bay), feet, 3 pairs of beams, locking clips, decking material and where applicable wire beam ties

LINK51

EASY ORDERING

Longspan Shelving Starter and Extension bays make ordering easy. To create a run just order a Starter Bay and the correct number of Extension Bays



Bolt free construction for simple, rapid assembly

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied.

QUICK & EASY ASSEMBLY

Unpack and assemble the framework by simply tapping together with a mallet. Once the framework is complete, just drop the shelves into position.



NEED A DIFFERENT SIZE?

Sizes shown are only a small part of our range. Phone for more information

INDUSTRIAL SHELVING



LINK 51 LONGSPAN SHELVING BAYS WITH CHIPBOARD DECKS

25mm chipboard deck on beams.

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Level	
				Code	Price	Code	Price	Code	Price
1800mm	1800mm	450mm	780kg	LS18418C	£256.69	LE18418C	£206.87	LL184C	£52.35
1800mm	1800mm	600mm	397kg	LS18618C	£273.91	LE18618C	£221.69	LL186C	£56.49
1800mm	1800mm	750mm	228kg	LS18718C	£298.52	LE18718C	£244.16	LL187C	£63.27
1800mm	1800mm	900mm*	345kg	LS18918C	£326.55	LE18918C	£270.16	LL189C	£71.26
1800mm	2100mm	450mm	590kg	LS21418C	£280.06	LE21418C	£230.24	LL214C	£60.14
1800mm	2100mm	600mm	463kg	LS21618C	£299.12	LE21618C	£246.90	LL216C	£64.89
1800mm	2100mm	750mm	266kg	LS21718C	£322.35	LE21718C	£267.99	LL217C	£71.21
1800mm	2100mm	900mm*	403kg	LS21918C	£352.13	LE21918C	£295.74	LL219C	£79.79
1800mm	2400mm	450mm	464kg	LS24418C	£303.36	LE24418C	£253.55	LL244C	£67.91
1800mm	2400mm	600mm	464kg	LS24618C	£324.35	LE24618C	£272.13	LL246C	£73.30
1800mm	2400mm	750mm	304kg	LS24718C	£350.16	LE24718C	£295.80	LL247C	£80.48
1800mm	2400mm	900mm*	460kg	LS24918C	£383.79	LE24918C	£327.40	LL249C	£90.34
2100mm	1800mm	450mm	780kg	LS18421C	£275.53	LE18421C	£216.29	LL184C	£52.35
2100mm	1800mm	600mm	397kg	LS18621C	£293.54	LE18621C	£231.50	LL186C	£56.49
2100mm	1800mm	750mm	228kg	LS18721C	£319.38	LE18721C	£254.59	LL187C	£63.27
2100mm	1800mm	900mm*	345kg	LS18921C	£348.23	LE18921C	£281.00	LL189C	£71.26
2100mm	2100mm	450mm	590kg	LS21421C*	£298.90	LE21421C*	£239.66	LL214C	£60.14
2100mm	2100mm	600mm	463kg	LS21621C	£318.74	LE21621C	£256.71	LL216C	£64.89
2100mm	2100mm	750mm	266kg	LS21721C	£343.21	LE21721C	£278.42	LL217C	£71.21
2100mm	2100mm	900mm*	403kg	LS21921C	£373.81	LE21921C	£306.58	LL219C	£79.79
2100mm	2400mm	450mm	464kg	LS24421C*	£322.21	LE24421C*	£262.97	LL244C	£67.91
2100mm	2400mm	600mm	464kg	LS24621C	£343.98	LE24621C	£281.94	LL246C	£73.30
2100mm	2400mm	750mm	304kg	LS24721C	£371.01	LE24721C	£306.23	LL247C	£80.48
2100mm	2400mm	900mm*	460kg	LS24921C	£405.47	LE24921C	£338.24	LL249C	£90.34

*25mm chipboard stands proud of the beam by 7mm). All other bays are supplied with 18mm chipboard.




LINK 51 LONGSPAN SHELVING BAYS WITH GALVANISED STEEL DECKS

Galvanised steel deck panels on beams.

Height	Width	Depth	Shelf Load	Starter Bay		Extension Bay		Extra Level	
				Code	Price	Code	Price	Code	Price
1800mm	1800mm	450mm	379kg	LS18418F	£346.66	LE18418F	£296.85	LL184F	£81.82
1800mm	1800mm	600mm	379kg	LS18618F	£352.41	LE18618F	£300.19	LL186F	£82.06
1800mm	1800mm	750mm	379kg	LS18718F	£376.70	LE18718F	£322.34	LL187F	£88.65
1800mm	1800mm	900mm	379kg	LS18918F	£399.92	LE18918F	£343.53	LL189F	£94.98
1800mm	2100mm	450mm	596kg	LS21418F	£436.11	LE21418F	£386.29	LL214F	£112.16
1800mm	2100mm	600mm	596kg	LS21618F	£441.34	LE21618F	£389.12	LL216F	£112.30
1800mm	2100mm	750mm	596kg	LS21718F	£468.74	LE21718F	£414.38	LL217F	£120.01
1800mm	2100mm	900mm	596kg	LS21918F	£495.15	LE21918F	£456.62	LL219F	£127.46
1800mm	2400mm	450mm	469kg	LS24418F	£485.11	LE24418F	£435.30	LL244F	£128.49
1800mm	2400mm	600mm	469kg	LS24618F	£490.07	LE24618F	£437.85	LL246F	£128.54
1800mm	2400mm	750mm	469kg	LS24718F	£520.80	LE24718F	£466.44	LL247F	£137.36
1800mm	2400mm	900mm	469kg	LS24918F	£550.59	LE24918F	£494.20	LL249F	£145.94
2100mm	1800mm	450mm	379kg	LS18421F	£365.51	LE18421F	£306.27	LL184F	£81.82
2100mm	1800mm	600mm	379kg	LS18621F	£372.04	LE18621F	£310.00	LL186F	£82.06
2100mm	1800mm	750mm	379kg	LS18721F	£397.55	LE18721F	£332.76	LL187F	£88.65
2100mm	1800mm	900mm	379kg	LS18921F	£421.60	LE18921F	£354.37	LL189F	£94.98
2100mm	2100mm	450mm	596kg	LS21421F	£454.95	LE21421F	£395.71	LL214F	£112.16
2100mm	2100mm	600mm	596kg	LS21621F	£460.96	LE21621F	£398.93	LL216F	£112.30
2100mm	2100mm	750mm	596kg	LS21721F	£489.60	LE21721F	£424.81	LL217F	£120.01
2100mm	2100mm	900mm	596kg	LS21921F	£516.83	LE21921F	£449.60	LL219F	£127.46
2100mm	2400mm	450mm	469kg	LS24421F	£503.96	LE24421F	£444.72	LL244F	£128.49
2100mm	2400mm	600mm	469kg	LS24621F	£509.69	LE24621F	£447.66	LL246F	£128.54
2100mm	2400mm	750mm	469kg	LS24721F	£541.66	LE24721F	£476.87	LL247F	£137.36
2100mm	2400mm	900mm	469kg	LS24921F	£572.26	LE24921F	£505.04	LL249F	£145.94



Bolt free construction for simple, rapid assembly



Steel decks add greater strength and rigidity

On the Move?

Make the movement of goods around the warehouse and workplace easy with our range of trolleys, trucks and dollies.



SEE PAGE 146

INDUSTRIAL SHELVING

APEX LONGSPAN SHELVING

A well known brand in the market place Apex Longspan comes in Orange and Light Grey with shelf load of up to 780kg.

When building any system you need to ascertain the weight load which is to be supported per bay and per shelf followed by the dimensions suitable for the space required and product being stored. All frames come fully assembled.

We advise that all frames should be bolted to the floor. It is possible to build up a run of racking with a starter and extension bays. Please refer to page 31 if you need to buy individual components.



Fast Delivery



Quick Assembly



APEX LONGSPAN SHELVING 200 SERIES

Longspan 200 is a chipboard stockroom shelving system. Easy boltless assembly makes it quick to build. Each bay comes with 3 fully adjustable shelves with step beams and 25mm chipboard shelves. Each shelf takes a minimum 200kg uniformly distributed load (UDL) and a bay can carry up to 1500kg.

- We recommend that Longspan chipboard shelving bays are assembled with a minimum of 2 joining bays, therefore a starter bay must be purchased with at least 1 extension bay
- We recommend that all frames are bolted to the floor (order BLTBFF1035ZP)
- Note: All loadings are calculated with a maximum height to the first beam level of 1000mm and two or more bays of shelving

APEX LONGSPAN SHELVING ACCESSORIES

Levelling plates ensure correct levelling on uneven floors with floor bolt offering secure fixing for structural integrity

LLP2UN	2mm levelling plate	£0.77
LLP3UN	3mm levelling plate	£0.94
BLTBFF1035ZP	Floor bolt	£0.69



FROM ONLY
£177.04



LOAD
200kg

APEX LONGSPAN RACKING 200 SERIES BAY

Height	Width	Depth	Starter Bay		Extension Bay	
			Code	Price	Code	Price
1800mm	1200mm	450mm	CM18412S	£177.04	CM18412A	£135.62
1800mm	1200mm	600mm	CM18612S	£189.93	CM18612A	£147.50
1800mm	1200mm	900mm	CM18912S	£215.13	CM18912A	£170.38
1800mm	1500mm	450mm	CM18415S	£212.94	CM18415A	£171.52
1800mm	1500mm	600mm	CM18615S	£235.66	CM18615A	£193.23
1800mm	1500mm	900mm	CM18915S	£334.89	CM18915A	£290.14
1800mm	1800mm	450mm	CM18418S	£220.74	CM18418A	£179.36
1800mm	1800mm	600mm	CM18618S	£243.49	CM18618A	£201.06
1800mm	1800mm	900mm	CM18918S	£342.72	CM18918A	£297.97
2400mm	1200mm	450mm	CM24412S*	£216.76	CM24412A*	£145.74
2400mm	1200mm	600mm	CM24612S	£207.95	CM24612A	£156.51
2400mm	1200mm	900mm	CM24912S	£234.06	CM24912A	£179.85
2400mm	1500mm	450mm	CM24415S*	£232.82	CM24415A*	£181.58
2400mm	1500mm	600mm	CM24615S	£253.68	CM24615A	£202.24
2400mm	1500mm	900mm	CM24915S	£353.82	CM24915A	£299.60
2400mm	1800mm	450mm	CM24418S*	£240.65	CM24418A*	£189.41
2400mm	1800mm	600mm	CM24618S	£261.51	CM24618A	£210.07
2400mm	1800mm	900mm	CM24918S	£361.65	CM24918A	£307.44

2400 x 450mm bay includes floor fixings



LOAD
200kg

APEX LONGSPAN RACKING 200 SERIES EXTRA LEVEL

Shelf sets containing 2 galvanised beams and 25mm chipboard shelf. Simply drop the chipboard into the beams to create an extra sturdy shelf level.

Code	Width	Depth	Each
CS124	1200mm	450mm	£31.43
CS126	1200mm	600mm	£35.02
CS129	1200mm	900mm	£41.88
CS154	1500mm	450mm	£43.38
CS156	1500mm	600mm	£50.27
CS159	1500mm	900mm	£81.80
CS184	1800mm	450mm	£45.99
CS186	1800mm	600mm	£52.88
CS189	1800mm	900mm	£84.41

FROM ONLY
£31.43

INDUSTRIAL SHELVING

APEX LONGSPAN SHELVING 500 SERIES

Medium duty warehouse shelving bay with 3 steel galvanised shelf levels with each level taking 500kg (UDL Level). The kits includes fully assembled bolted frame with grey powder coated posts, galvanised bracing and orange beams. The purchase of additional shelf levels means each bay can carry up to 3000kg.

- Bays come complete with 3 beam levels with galvanised steel panels
- We recommend that all frames are bolted to the floor (order VBLTBFF)
- All loadings are calculated with a maximum height to the first beam level of 1000mm and two or more bays of shelving



APEX LONGSPAN RACKING 500 SERIES BAY

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor.
Bay codes followed with an * indicate floor fixings supplied.

FROM ONLY
£184.¹⁵

Height	Width	Depth	Starter Bay		Extension Bay	
			Code	Price	Code	Price
1800mm	1200mm	450mm	MD18412S	£184.15	MD18412A	£162.81
1800mm	1200mm	600mm	MD18612S	£210.20	MD18612A	£167.77
1800mm	1200mm	900mm	MD18912S	£255.70	MD18912A	£210.92
1800mm	1500mm	450mm	MD18415S	£225.54	MD18415A	£184.15
1800mm	1500mm	600mm	MD18615S	£232.53	MD18615A	£190.10
1800mm	1500mm	900mm	MD18915S	£288.31	MD18915A	£243.53
1800mm	1800mm	450mm	MD18418S	£253.35	MD18418A	£211.96
1800mm	1800mm	600mm	MD18618S	£274.24	MD18618A	£231.81
1800mm	1800mm	900mm	MD18918S	£327.05	MD18918A	£282.30
1800mm	2400mm	450mm	MD18424S	£304.27	MD18424A	£262.88
1800mm	2400mm	600mm	MD18624S	£331.43	MD18624A	£288.99
1800mm	2400mm	900mm	MD18924S	£400.30	MD18924A	£354.57
2400mm	1200mm	450mm	MD24412S*	£224.30	MD24412A*	£172.86
2400mm	1200mm	600mm	MD24612S	£228.22	MD24612A	£176.78
2400mm	1200mm	900mm	MD24912S	£274.63	MD24912A	£220.42
2400mm	1500mm	450mm	MD24415S*	£245.65	MD24415A*	£194.21
2400mm	1500mm	600mm	MD24615S	£250.54	MD24615A	£199.10
2400mm	1500mm	900mm	MD24915S	£307.24	MD24915A	£253.03
2400mm	1800mm	450mm	MD24418S*	£273.65	MD24418A*	£222.02
2400mm	1800mm	600mm	MD24618S	£292.26	MD24618A	£240.82
2400mm	1800mm	900mm	MD24918S	£345.98	MD24918A	£291.77
2400mm	2400mm	450mm	MD24424S*	£324.38	MD24424A*	£272.94
2400mm	2400mm	600mm	MD24624S	£349.44	MD24624A	£298.00
2400mm	2400mm	900mm	MD24924S	£418.58	MD24924A	£365.01

2400 x 450mm bay includes floor fixings



APEX LONGSPAN SHELVING 500 SERIES EXTRA LEVEL

Medium duty warehouse shelf for Longspan Series 500. Easy to assemble with beams simply locking into frames and steel decks fitting over the beams to create a smooth finish and providing a shelf load maximum of 500kg. Includes 2 orange beams and decks.

FROM ONLY
£40.⁵¹



Code	Width	Depth	Each
MS124	1200mm	450mm	£40.51
MS126	1200mm	600mm	£44.72
MS129	1200mm	900mm	£55.39
MS154	1500mm	450mm	£48.74
MS156	1500mm	600mm	£54.12
MS159	1500mm	900mm	£67.77
MS184	1800mm	450mm	£58.19
MS186	1800mm	600mm	£64.67
MS189	1800mm	900mm	£81.02
MS244	2400mm	450mm	£75.65
MS246	2400mm	600mm	£84.26
MS249	2400mm	900mm	£106.07

APEX LONGSPAN SHELVING ACCESSORIES

Levelling plates ensure correct levelling on uneven floors with floor bolt offering secure fixing for structural integrity

LLP2UN	2mm levelling plate	£0.77
LLP3UN	3mm levelling plate	£0.94
BLTBFF1035ZP	Floor bolt	£0.69

INDUSTRIAL SHELVING

APEX LONGSPAN SHELVING 750 SERIES

Heavy duty warehouse shelving bay with 3 steel galvanised shelf levels with each level taking 750kg (UDL Level). Bays have assembled bolted frames with grey powder coated posts, galvanised bracing and orange beams. The purchase of additional shelf levels means each bay can carry up to 4200kg*.

It is simple to create a shelving solution to meet your needs.

- Bays come complete with 3 beam levels with galvanised steel panels
- We recommend that all frames are bolted to the floor (order VBLTBFF)
- Note: All loadings are calculated with a maximum height to the first beam level of 1000mm and two or more bays of shelving



LOAD
750kg

FROM ONLY
£238⁰¹

APEX LONGSPAN RACKING 750 SERIES BAY

			Starter Bay		Extension Bay	
Height	Width	Depth	Code	Price	Code	Price
1800mm	1500mm	600mm	HD18615S	£238.01	HD18615A	£206.35
1800mm	1500mm	900mm	HD18915S	£293.56	HD18915A	£248.81
1800mm	1500mm	1200mm	HD181215S	£341.35	HD181215A	£292.78
1800mm	1800mm	600mm	HD18618S	£267.78	HD18618A	£225.35
1800mm	1800mm	900mm	HD18918S	£333.65	HD18918A	£288.86
1800mm	1800mm	1200mm	HD181218S	£389.33	HD181218A	£340.76
1800mm	2400mm	600mm	HD18624S	£324.96	HD18624A	£282.53
1800mm	2400mm	900mm	HD18924S	£411.26	HD18924A	£366.48
1800mm	2400mm	1200mm	HD181224S	£482.94	HD181224A	£434.37
2400mm	1500mm	600mm	HD24615S	£256.03	HD24615A	£204.59
2400mm	1500mm	900mm	HD24915S	£312.50	HD24915A	£258.28
2400mm	1500mm	1200mm	HD241215S	£362.17	HD241215A	£303.19
2400mm	1800mm	600mm	HD24618S	£285.80	HD24618A	£234.36
2400mm	1800mm	900mm	HD24918S	£352.58	HD24918A	£298.36
2400mm	1800mm	1200mm	HD241218S	£410.15	HD241218A	£351.17
2400mm	2400mm	600mm	HD24624S	£342.98	HD24624A	£291.54
2400mm	2400mm	900mm	HD24924S	£430.20	HD24924A	£375.98
2400mm	2400mm	1200mm	HD241224S	£503.77	HD241224A	£444.79
3000mm	1500mm	600mm	HD30615S	£276.53	HD30615A	£214.84
3000mm	1500mm	900mm	HD30915S	£331.56	HD30915A	£267.84
3000mm	1500mm	1200mm	HD301215S	£383.13	HD301215A	£313.67
3000mm	1800mm	600mm	HD30618S	£306.29	HD30618A	£244.60
3000mm	1800mm	900mm	HD30918S	£371.54	HD30918A	£307.83
3000mm	1800mm	1200mm	HD301218S	£424.65	HD301218A	£355.19
3000mm	2400mm	600mm	HD30624S	£363.48	HD30624A	£301.79
3000mm	2400mm	900mm	HD30924S	£449.16	HD30924A	£385.45
3000mm	2400mm	1200mm	HD301224S	£524.72	HD301224A	£455.26

2405 x 450mm bay includes floor fixings



LOAD
750kg

APEX LONGSPAN RACKING 750 SERIES EXTRA LEVEL

Heavy Duty Warehouse Series 750. Easy to assemble with beams simply locking into frames and steel decks fitting over the beams to create a smooth finish and providing a shelf load maximum of 750kg. Includes 2 orange beams and decks.

FROM ONLY
£52¹⁵

Code	Width	Depth	Each
HDS156	1500mm	600mm	£52.15
HDS159	1500mm	900mm	£68.02
HDS1512	1500mm	1200mm	£81.40
HDS186	1800mm	600mm	£62.29
HDS189	1800mm	900mm	£81.37
HDS1812	1800mm	1200mm	£97.40
HDS246	2400mm	600mm	£81.79
HDS249	2400mm	900mm	£107.26
HDS2412	2400mm	1200mm	£119.65



APEX LONGSPAN SHELVING ACCESSORIES

Levelling plates ensure correct levelling on uneven floors with floor bolt offering secure fixing for structural integrity

LLP2UN	2mm levelling plate	£0.77
LLP3UN	3mm levelling plate	£0.94
BLTBFF1035ZP	Floor bolt	£0.69

INDUSTRIAL SHELVING

DESIGN LONGSPAN SHELVING TO MEET YOUR EXACT STORAGE NEEDS.

Choose from a range of frame and beam sizes to create a run on shelving to suit your storage requirements. Complete the bays with a choice of either chipboard or galvanised steel shelving panels.

STEP 1. To start specifying create a single shelving bay with two frames and two or more beam levels.

STEP 2. To create a run of continuous shelving add additional shelves and frames as required.

STEP 3. Then order your choice of decking to match your chosen number of beam levels.



APEX LONGSPAN FRAMES

There is just one standard frame in different heights and depths. Simply order two for the first bay, then one for each extension bay.

- Light Grey finish

	450mm Deep		600mm Deep		750mm Deep		900mm Deep	
Height	Code	Price	Code	Price	Code	Price	Code	Price
1800mm	LSR18000450GR	£42.36	LSR18000600GR	£43.43	LSR18000750GR	£44.58	LSR18000900GR	£45.78
2400mm	LSR24000450GR*	£51.36	LSR24000600GR	£52.62	LSR24000750GR	£54.01	LSR24000900GR	£55.47
3000mm	LSR30000450GR*	£60.36	LSR30000600GR*	£61.82	LSR30000750GR	£63.45	LSR30000900GR	£65.17
3600mm	LSR36000450GR*	£73.65	LSR36000600GR*	£75.30	LSR36000750GR*	£77.17	LSR36000900GR	£79.16
4200mm	LSR42000450GR*	£82.49	LSR42000600GR*	£84.35	LSR42000750GR*	£86.44	LSR42000900GR*	£88.69
4800mm	LSR48000450GR*	£91.66	LSR48000600GR*	£93.71	LSR48000750GR*	£96.04	LSR48000900GR*	£98.56



NEED A DIFFERENT SIZE?

Sizes shown are only a small part of our range. Phone for more information

FROM ONLY
£42.36



SHELVING & RACKING



APEX LONGSPAN BEAMS

Beams simply lock into the uprights without bolts. If you are ordering a shelf set, choose either 1800, 2100 or 2400mm long beams.

- Painted Orange
- Sold individually

	5000kg Load		1000kg Load	
Width	Code	Price	Code	Price
1200mm	LU050S1200005OR	£11.49	N/A	-
1800mm	LU060S1800005OR	£15.26	LU085S1800005OR	£17.76
2100mm	LU060S2100005OR	£16.51	LU085S2100005OR	£19.36
2400mm	LU070S2400005OR	£19.36	LU100S2400005OR	£23.21
2700mm	LU085S2700005OR	£22.59	LU100S2700005OR	£24.84



FROM ONLY
£11.49

SAFETY

It is essential that shelving exceeding a height to depth ratio of 4:1 to the top loaded shelf is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied.

APEX LONGSPAN SHELVING ACCESSORIES


Levelling plates ensure correct levelling on uneven floors with floor bolt offering secure fixing for structural integrity

LLP2UN	2mm levelling plate	£0.77
LLP3UN	3mm levelling plate	£0.94
BLTBFF1035ZP	Floor bolt	£0.69

APEX LONGSPAN GALVANISED STEEL PANELS

Galvanised steel panels which sit between beams.

Code	Width	Depth	Each
AN3000450HGV	300mm	450mm	£4.61
AN3000600HGV	300mm	600mm	£5.69
AN3000750HGV	300mm	750mm	£7.06
AN3000900HGV	300mm	900mm	£8.42



FROM ONLY
£4.61



APEX LONGSPAN SHELVING SETS - STEEL

Complete deck of galvanised steel panels to suit various bay widths and depths.

		450mm Deep		600mm Deep		900mm Deep	
Width	Load	Code	Price	Code	Price	Code	Price
1800mm	500kg	LU05018000450D	£56.13	LU05018000600D	£62.59	LU05018000900D	£78.95
1800mm	1000kg	LU07018000450D	£60.45	LU07018000600D	£66.91	LU07018000900D	£83.27
2100mm	500kg	LU06021000450D	£65.36	LU06021000600D	£72.90	LU06021000900D	£91.98
2100mm	1000kg	LU08521000450D	£71.06	LU08521000600D	£78.60	LU08521000900D	£97.68
2400mm	500kg	LU06024000450D	£72.91	LU06024000600D	£81.52	LU06024000900D	£103.33
2400mm	1000kg	LU08524000450D	£79.31	LU08524000600D	£87.92	LU08524000900D	£109.72




FROM ONLY
£56.13



APEX LONGSPAN SHELVING SETS - CHIPBOARD

Chipboard deck which fits suit various bay widths and depths.

		450mm Deep		600mm Deep		900mm Deep	
Width	Load	Code	Price	Code	Price	Code	Price
1800mm	574kg	LS18000450C	£38.31	LS18000600C	£45.15	LS18000900C	£53.77
2100mm	496kg	LS21000450C	£51.67	LS21000600C	£53.74	LS21000900C	£76.44
2400mm	440kg	LS24000450C	£53.25	LS24000600C	£65.13	LS24000900C	£75.55



FROM ONLY
£38.31

Large Linbins



Ideal for stacking on Longspan shelving. Wide choice of colours available for easy identification.


SEE PAGE 101

PALLET RACKING

PALLET RACKING

Still the most popular and widely used storage system for palletised product. Used in virtually every industry it can be easily configured and adapted to most warehouse locations. When used in conjunction with accessories it can be tailored to suit many different products and applications.

Link 51 and Apex Pallet Racking is manufactured in the UK. Buy in either component form or for those looking for a pallet racking system we have put together total kits suitable for holding 16, 18 and 24 pallets with dimensions of (H)1000mm x (W)1200mm x (D)1000mm. A wide number of UK manufactured accessories are available to ensure safety and protection for both racking and walkways.



APEX PALLET RACKING BAYS

Easy to assemble frames designed for strength and durability. Beams lock into uprights increasing overall strength and rigidity as weight is added.

- Light grey uprights, galvanised bracing and orange beams
- Each Bay will accept a maximum load of 8000kg UDL. First beam level must be a maximum of 1650mm from the floor
- Additional heights and capacities available on request



Starter Kit - comprises a starter and extension bay
Example bay shown APR451127S



Extension Bay
Example bay shown APR451127X



SAFETY

It is essential that pallet racking is adequately secured to the floor. Bay codes followed with an * indicate floor fixings supplied. Additional floor fixings can be purchased.

APEX PALLET RACKING BAYS

Apex Pallet Racking Starter Kits comprise a starter and extension bay.

- Pallets stored allows for use of ground floor

Height	Width	Depth	Beam Levels	Pallets Stored	Starter Kit		Pallets Stored	Extension Kit	
					Code	Price		Code	Price
3000mm	2700mm	900mm	2	12	APR309027S*	£545.64	6	APR309027X*	£228.32
3000mm	2300mm	1100mm	2	12	APR301123S*	£513.69	6	APR301123X*	£210.66
3000mm	2700mm	1100mm	2	12	APR301127S*	£555.73	6	APR301127X*	£231.68
4500mm	2700mm	900mm	3	16	APR459027S*	£810.68	8	APR459027X*	£339.88
4500mm	2300mm	1100mm	3	16	APR451123S*	£762.41	8	APR451123X*	£313.28
4500mm	2700mm	1100mm	3	16	APR451127S*	£823.16	8	APR451127X*	£344.81
6000mm	2700mm	900mm	4	20	APR609027S*	£1,076.50	10	APR609027X*	£467.11
6000mm	2300mm	1100mm	4	20	APR601123S*	£1,010.34	10	APR601123X*	£431.04
6000mm	2700mm	1100mm	4	20	APR601127S*	£1,094.42	10	APR601127X*	£473.08

All frames provided in knock down form - require assembly on site

APEX PALLET RACKING EXTRA BEAMS

Hard wearing powder coated Orange finish. Sold individually.

Code	Width	Beam Load	Each
PC090S27000730R	2700mm	2000kg	£34.83
PC100S27000730R	2700mm	2500kg	£36.23
PC150S33000730R	3300mm	3000kg	£60.38

FROM ONLY
£34.83



NEED A
DIFFERENT
SIZE?

Sizes shown are only a small part of our range. Phone for more information

PALLET RACKING



BEAM LOAD
1000-2000kg

FROM ONLY
£13.42

APEX PALLET RACKING BEAMS

Hard wearing powder coated Orange finish.
Sold individually.

Code	Width	Beam Load	Each
PU050S13500730R	1350mm	1000kg	£13.42
PU060S13500730R	1350mm	1250kg	£14.30
PU110H27000730R	2700mm	2000kg	£33.10




FROM ONLY
£17.63

APEX PALLET SUPPORT BAR

For use between beams to provide extra support to undersized, damaged or heavy pallets. Galvanised.

Code	Description	Each
PP50900GR	To suit 900mm deep frame	£17.63
PP51100GR	To suit 1100mm deep frame	£18.73



FROM ONLY
£0.42

APEX PALLET RACKING PLASTIC BEAM LOCK

Stops accidental dislodgement of beams.

- Red/Blue plastic

PBL	£0.42
-----	-------




FROM ONLY
£31.86

APEX UPRIGHT PROTECTOR KITS

Protects bottom of pallet racking uprights from accidental damage

- Supplied with 4 floor fixings

Code	Height	Colour	Each
PGKS300GR	300mm	Grey	£31.86
PGKS300OR	300mm	Orange	£32.58
PGKS450GR	450mm	Grey	£38.91
PGKS450OR	450mm	Orange	£39.79



APEX CORNER PROTECTOR KITS

Protects bottom of pallet racking uprights from accidental damage

- Supplied with 4 floor fixings

Code	Height	Colour	Each
PGKC300OR	300mm	Orange	£31.09
PGKC450OR	450mm	Orange	£37.97



FROM ONLY
£145.22

APEX TUBULAR RACK END BARRIER

Tubular barrier to protect end frames from accidental fork lift damage.

- 500mm high, finish in orange

Code	Description	Each
PTB209000500OR	To suit 900mm deep frame	£145.22
PTB211000500OR	To suit 1100mm deep frame	£148.29

APEX LEVELLING PLATE

Helps level bays on uneven floors

Code	Description	Each
PLP2UN	2mm thick	£1.12
PLP3UN	3mm thick	£1.41

APEX ROW SPACER

Ensures back to back racking is correctly spaced. Galvanised.

Code	Length	Each
PRS0200GV	200mm	£2.96
PRS0300GV	300mm	£3.24

APEX FLOOR FIXING BOLT

Expanding bolt for fixing down pallet racking through footplates.

BLTBFF1240ZP	£0.71
--------------	-------

Need Industrial Containers?

Choose from our range of tote boxes which are highly effective as standalone storage containers or part of a larger stock transit requirement. Offering labelling, stacking when in use, nesting when empty and tamper proof seal points for security.



SEE PAGE 118

PALLET RACKING

LINK 51 PALLET RACKING

Easily installed, cost effective and versatile adjustable beam racking allows 100% direct access to each pallet stored. Adjustable beams can be re-configured to accommodate changes in the type of goods stored.

- Frames are pierced on a 75mm pitch to allow for positioning of beams
- Beam loads are 2000kg per pair uniformly distributed load
- Graphite grey uprights, galvanised bracing and orange beams

LINK51



BEAM LOAD
2000kg

LINK 51 PALLET RACKING BAYS

Height	Width	Depth	Levels	Starter Kit		Extension Bay	
				Code	Price	Code	Price
3000mm	2250mm	900mm	2	PS22930	£384.58	PE22930	£274.22
3000mm	2250mm	1100mm	2	PS221130	£391.82	PE221130	£277.83
3000mm	2700mm	900mm	2	PS27930	£443.42	PE27930	£333.05
3000mm	2700mm	1100mm	2	PS271130	£450.65	PE271130	£336.67
4800mm	2250mm	900mm	3	PS22948	£566.02	PE22948	£404.89
4800mm	2250mm	1100mm	3	PS221148	£576.14	PE221148	£409.94
4800mm	2700mm	900mm	3	PS27948	£654.27	PE27948	£493.14
4800mm	2700mm	1100mm	3	PS271148	£664.39	PE271148	£498.19
6000mm	2250mm	900mm	4	PS22960	£713.71	PE22960	£518.68
6000mm	2250mm	1100mm	4	PS221160	£725.75	PE221160	£524.70
6000mm	2700mm	900mm	4	PS27960	£831.38	PE27960	£636.35
6000mm	2700mm	1100mm	4	PS271160	£843.42	PE271160	£642.37

Frames provided in knock down form - require assembly on site

SAFETY

It is essential that pallet racking is adequately secured to the floor. Bay codes followed with an ° indicate floor fixings supplied. Additional floor fixings can be purchased.

**NEED A
DIFFERENT
SIZE?**

Sizes shown are only a small part of our range. Phone for more information



FROM ONLY
£112.44



LINK 51 PALLET RACKING EXTRA BEAMS

Pair of beams with locking clips, powder coated orange. 2000kg UDL per pair.

Code	Width	Depth	Each
PL229	2250mm	900mm	£79.90
PL279	2700mm	900mm	£109.31
PL2211	2250mm	1100mm	£79.90
PL2711	2700mm	1100mm	£109.31



FROM ONLY
£84.02

LINK 51 GALVANISED STEEL DECKING

Galvanised steel decking, spans pallet beams to provide a smooth deck. 2000kg UDL per level.

Code	Width	Depth	Each
PSL2290	2250mm	900mm	£155.79
PSL2790	2700mm	900mm	£134.43
PSL2211	2250mm	1100mm	£195.25
PSL2711	2700mm	1100mm	£129.10



FROM ONLY
£39.72

LINK 51 COIL CRADLES

Spans beams to provide location and support for coiled materials. Cradle carries 707kg UDL.

Code	Description	Each
CC0900GU	To suit 900mm deep frame	£63.55
CC1100GU	To suit 1100mm deep frame	£74.34



FROM ONLY
£12.67

LINK 51 FORK SPACERS

Used in pairs across beams, to provide 105mm high fork entry space. 2000kg UDL per pair.

• Sold singularly

Code	Description	Each
FS0900MOR	To suit 900mm deep frame	£20.27
FS1100MOR	To suit 1100mm deep frame	£24.21

LINK 51 RACK PROTECTION

Rack protection products help you to prevent and limit the damage done to racking from forklift truck collisions and other hazards in warehouse or factory operations, saving you the time consuming and costly task of repair or replacement to your storage system and improving the health and safety of your staff.

The rack protection systems you require will depend on the type of racking or storage system you have installed, the equipment used with it, and the potential for collisions or accidents to occur.



U type

FROM ONLY
£85.36

LINK 51 RACK END PROTECTION KITS

Modular barrier system for protection against forklift truck damage

- Kits contain two protectors, a sigma rail and all fixings

Code	Type	Width	Each
SSSLRPK930OR	L type	930mm	£136.58
SSSLRPK1130OR	L type	1130mm	£138.89
SSSLRPK2030OR	L type	2030mm	£149.34
SSSLRPK2430OR	L type	2430mm	£153.40
SSSURPK930OR	U type	930mm	£134.79
SSSURPK1130OR	U type	1130mm	£137.10
SSSURPK2030OR	U type	2030mm	£147.55
SSSURPK2430OR	U type	2430mm	£152.18



L type



LINK51

FROM ONLY
£83.67

LINK 51 SINGLE BARRIER RAIL KITS

Sigma rail barrier system for walkways, 400mm high single rail barrier

- Rail is 165 x 40mm and manufactured from 4mm steel
- Uprights are manufactured from 90 x 50 x 3.6mm hollow steel section, powder coated orange
- Baseplates are 200 x 200mm with 3 pre-drilled holes

		Starter Barrier		Extension Barrier	
Height	Width	Code	Price	Code	Price
400mm	930mm	SSSBRHZD930SOR	£133.87	SSSBRHZD930EOR	£127.54
400mm	1130mm	SSSBRHZD1130SOR	£136.19	SSSBRHZD1130EOR	£78.64
400mm	2030mm	SSSBRHZD2030SOR	£146.63	SSSBRHZD2030EOR	£89.09
400mm	2430mm	SSSBRHZD2430SOR	£151.27	SSSBRHZD2430EOR	£93.72

LINK 51 DOUBLE BARRIER RAIL KITS

Sigma rail barrier system for walkways, 800mm high double rail barrier

- Rail is 165 x 40mm and manufactured from 4mm steel
- Uprights are manufactured from 90 x 50 x 3.6mm hollow steel section, powder coated orange
- Baseplates are 200 x 200mm with 3 pre-drilled holes

		Starter Barrier		Extension Barrier	
Height	Width	Code	Price	Code	Price
800mm	930mm	SSSBRHZD930SOR	£217.58	SSSBRHZD930EOR	£127.54
800mm	1130mm	SSSBRHZD1130SOR	£222.21	SSSBRHZD1130EOR	£132.17
800mm	2030mm	SSSBRHZD2030SOR	£243.10	SSSBRHZD2030EOR	£153.06
800mm	2430mm	SSSBRHZD2430SOR	£252.37	SSSBRHZD2430EOR	£142.91

LINK 51 UPRIGHT PROTECTORS

Protects bottom of pallet racking uprights from accidental damage

- 4 fixings per protector required (sold individually)

Code	Description	Each
UP400OR	U Type Protector	£42.19
UPRA400OR	L Type Protector	£43.08
FAS1515	Fixings for upright protectors	£3.34



FROM ONLY
£15.51

LINK 51 UPRIGHT PROTECTOR CHANNEL KIT


Designed to protect the lower section of uprights against accidental forklift truck collision damage. Steel with foam inserts the Column Protector is secured to the upright.

Code	Height	Each
UPC0425OR	425mm	£24.82
UPC0650OR	650mm	£30.66
UPC0950OR	950mm	£39.53

CANTILEVER RACKING

CANTILEVER RACKING

Cantilever Racking is a type of warehouse storage system consisting of the vertical column, the base, the arms, and the horizontal and/or cross bracing. Suitable for long and heavy products and often used in timber yards, woodworking shops, and plumbing supply warehouses. They are fully adjustable and support single or double sided racking.



SINGLE SIDED CANTILEVER RACKING KITS

Manufactured in the UK, the kits offer a cost effective and safe solution for storing long and heavy products with the opening-fronted system allowing for the storage of infinite and varying length items. The racking is available in light, medium and heavy duty.

- Single or double sided racking
- Adjustable arm heights - standard adjustment pitch 150mm
- Comes with black uprights and yellow arms as standard

Height	Width	Load	Arm Length	Arm Load	Starter Bay		Extension Bay	
					Code	Each	Code	Each
2700mm	1000mm	2000kg	600mm	250kg	VCLSS1	£634.99	VCLSE1	£379.99
4500mm	1200mm	4000kg	900mm	500kgs	VCMS1	£859.99	VCME1	£513.49
6000mm	1500mm	8000kg	1200mm	1000kg	VCHS1	£1,195.99	VCHSE1	£710.99



Starter Bay

DOUBLE SIDED CANTILEVER RACKING KITS

Manufactured in the UK, the kits offer a cost effective and safe solution for storing long and heavy products with the opening-fronted system allowing for the storage of infinite and varying length items. The racking is available in light, medium and heavy duty.

- Single or double sided racking
- Adjustable arm heights - standard adjustment pitch 150mm
- Comes with black uprights and yellow arms as standard

Height	Width	Load	Arm Length	Arm Load	Starter Bay		Extension Bay	
					Code	Each	Code	Each
2700mm	1000mm	4000kg	600mm	250kg	VCLDS1	£702.99	VCLDE1	£419.99
4500mm	1200mm	8000kg	900mm	500kgs	VCMD1	£947.99	VCME1	£565.49
6000mm	1500mm	16000kg	1200mm	1000kg	VCHD1	£1,351.99	VCHDE1	£799.99



Extension Bay

CANTILEVER RACKING ARMS

Additional arms for use with starter and extension bays.

- Can be supplied drilled to accept Retaining Pins.
- Please advise at time of order
- Adjustable on 150mm pitch



Code	Length	Arm Capacity	Each
VCLA2	600mm	250kg	18.00
VCMA2	900mm	500kg	24.00
VCHA2	1200mm	1000kg	34.67

CANTILEVER RACKING RETAINING PINS

Retaining Pins hold bulky items on to the arms, ensuring safer storage of products. Pins are available as Light or Heavy duty. Please purchase the right type of pins for your requirements.

- NOTE - Arms need to be drilled to accept Retaining Pins.
- When ordering Arms please advise if you require them to be drilled.
- Please be aware there is a minimum order of 10 pins
- Black finish



Code	Type	Each
VCLP10	Light Duty	£9.33
VCHP10	Heavy Duty	£12.00

STORAGE RACKS

Keep your workplace organised and efficient with these bar cradles, sheet and board Racks.

- Vertical storage racks and stacking bar cradles offer easy storing of materials such as bar, tube, angles and flats
- Cradles can be stacked up to 5 units high and carry 1000kg
- Multi-purpose and plate racks are used to store plywood, chipboard, timber, steel or just about any other sheet format material on their edge.
- These versatile storage racks are ideal for either in trade or retail outlets or in warehouses where board or sheet material is stored.



FROM ONLY
£99.79



LOAD
1000kg

STACKING BAR CRADLES

For storing varying lengths of bar, tube, flats and angles.

- 127mm pallet feet
- Blue epoxy finish

Code	Height	Width	Depth	Weight	Each
VBCR1	470mm	790mm	385mm	21kg	£99.79
VBCR2	625mm	790mm	385mm	24kg	£105.39
VBCR3	470mm	1095mm	385mm	25kg	£107.28
VBCR4	625mm	1095mm	385mm	28kg	£113.46



FROM ONLY
£306.52



MULTIPURPOSE RACKS

Keep stock clean, tidy and safe during manufacturing or storage process.

- Distance between uprights: 305mm. Height from base to central support beam: 575mm
- Pre-drilled holes to allow for floor bolting (bolts not supplied)
- Blue epoxy finish

Code	Height	Width	Depth	Weight	Each
VFHSR	1220mm	1080mm	1015mm	53kg	£306.52



FROM ONLY
£286.36



VERTICAL STORAGE RACKS

Fully welded steel construction with steel base.

- 600 x 250mm storage bays
- Pre-drilled for floor fixing
- Blue epoxy finish

Code	Height	Width	Depth	Weight	Each
VVSR4	1500mm	1200mm	600mm	84kg	£286.36
VVSR6	1500mm	1800mm	600mm	108kg	£355.93
VVSR8	1500mm	2400mm	600mm	135kg	£429.72



FROM ONLY
£279.40



MULTI-HEIGHT PLATE RACK

Keep stock clean, tidy and safe during manufacturing or storage process.

- Distance between uprights: 305mm. Height from base to central support beam: 575mm
- Pre-drilled holes to allow for floor bolting (bolts not supplied)
- Blue epoxy finish

Code	Height	Width	Depth	Weight	Each
VVHSR1	1000mm	1400mm	800mm	75kg	£279.40

SHELVING & RACKING

SHELVING SOLUTIONS



Cross aisles help cut down journey times in picking operations helping to increase efficiency and improve fire escape routes.

Understanding our client's storage requirements is vital in offering value for money and the most practical and beneficial products possible. Whether the need is for high density storage of industrial items, maximising retail stockroom capacity, designing usable library schemes or managing records storage in an office – we can help you achieve a cost efficient and practical storage solution.

Determining the shelving you need starts by fully understanding your stock profile, this is essential in ensuring the storage solution is designed to suit the size of the stored items. Often there are large areas of wasted space where existing racking or shelving has been supplied to suit the largest item stored, even though the majority of items may actually be smaller than this. Having bays of different shelf depths to match the stock dimensions should be considered to maximise available space.

Specifying the correct shelf size is important, ensuring the whole width and depth of the shelf is used to the maximum. Different bay widths can be specified ensuring multiples of different sizes items can be stored within the run. For example by measuring the stock size it is easy to choose the correct size of shelf to suit multiples of the stock; e.g. women's shoe boxes are typically around 200mm wide and 6 boxes would sit perfectly on a 1220mm wide shelf but men's shoe boxes are 255mm so a 1100mm wide shelf is more applicable.

Providing maximum storage capacity is not the only criteria to be considered. How users access the shelving needs to be considered, there is no point having the capacity if you can't easily use it. Narrow aisle widths will restrict the numbers of users who can work at the same times, also sufficient working space should be allowed for equipment to be used, such as pallet trucks and stepladders, valuable space can be utilised.

Once you understand your bay profiles you can start to plan how to use them within the space available. You will need to take into account the position of doorways, windows, fire exits etc. along with ensuring adequate lighting along aisles. In long runs of shelving, cross aisles should be allowed for to allow users to quickly move between runs without having to walk to the end of aisles.

Using all of the available height is a simple way to add significantly more usable storage area, easily and economically, within the same footprint area. This may be restricted by the weight of the items being stored and the implications of manual handling regulations but by using manual and mechanical access equipment this valuable space can be utilised.


We have a wealth of experience and knowledge in storage design and are conversant with the relevant Health & Safety and industry standards. You can be assured that our solution to your storage requirements, no matter how large or small, will always receive an unbiased view of how to provide you with a system that serves your organisation in a financially and environmentally responsible manner well into the future.



Mechanical access equipment allows for higher shelving to be considered, utilising the full building height.

USEFUL SHELVING TERMINOLOGY

1. BAY - Module between a pair of frames.
2. RUN - A series of shelving bays connected length-ways.
3. SINGLE SIDED RUN - A Single depth of shelving.
4. DOUBLE SIDED RUN - Two runs built back to back, not necessarily of the same depth, but sharing a common 'spine'.
5. LEVELS - The number of storage levels in the shelving height.
6. AISLE - Space giving access to the picking or loading faces of shelving.
7. GANGWAY - Space for movement of transport but not giving access to picking or loading faces.



SHELVING SOLUTIONS



The anti-bacterial coating added to the paint finish on some of the shelving ranges makes it ideal for healthcare facilities

Our range of shelving systems can deal with practically any manually loaded storage requirement you could think of. From offices, commercial environments, schools, libraries and medical centres, to stockrooms and shop floors – our shelving systems are varied and versatile enough to be used in a vast range of workplaces.

Our static shelving systems come in various shapes, sizes and styles, but one thing that remains consistent throughout is the market leading quality of each product, which is a result of our UK based manufacturing expertise.

From simple tap together shelving to fully adjustable bays we can help you design and install a efficient storage solution to meet your exact needs.



Wire shelving was mounted onto mobile shelving chassis to help create a high density Sterile Store.



Museums and archives use Longspan shelving to store large but delicate reserve exhibits.



Stockrax hanging garment offers cost effective solutions to rear of store retail stock rooms.



A wide range of accessories can be incorporated into shelving bays to accommodate various media formats.



Adding end panels to shelving runs creates a more aesthetically pleasing working environment.



Slim shelving uprights help save wasted space on long runs and stop files getting damaged from snagging on frames.

SHELVING & RACKING

HEAVY DUTY SHELVING SOLUTIONS

Space-efficient and organised storage of components and supplies is essential for the efficiency of manufacturing, engineering, maintenance and service operations.

Our range of heavy duty shelving and parts storage equipment organises and protects items of all kinds and brings with it accuracy in selection, stock control and inventory management.

From a few bays of shelving to a multi tier structure our experience in designing effective and efficient storage solutions to store everything from small to large and bulky items.

Wherever the storage location, in warehouse, parts store, assembly area or production line, and whatever the industry, the requirements remain the same, easy location and access to goods, efficient stock control and safe and secure location.



Stockrax hanging garment offers cost effective solutions to rear of store retail stock rooms.



Wide aisle pallet racking has a minimum aisle width of 2.5metres allowing for standard reach trucks to be used.



Stockrax shelving offers a quick and simple heavy duty shelving solution.



Extra space can be created by adding a mezzanine floor into the storage design, delivering extra floor space.



By utilising the wide range of accessories available across our shelving ranges we can ensure every part is stored correctly.



For large and bulky storage requirements, Longspan shelving with its wide range of sizes and capacities, is the answer.

MOBILE SHELVING SOLUTIONS

Effective storage systems are designed to provide efficient storage and retrieval. That's why every mobile shelving system will give excellent accessibility, whilst maximising the use of floor space for storage.

Mobile shelving is effective in saving space, by eliminating the need for several access aisles. Because the shelving moves along floor tracks, the space for only one aisle is needed. When an item is required the particular shelving bay is identified and an adjacent aisle is created by moving the mobile shelving units apart. Mobile shelving is opened and closed by pull handles or hand operated mechanical systems.

Roll-a-side mobile shelving is useful in small offices or awkwardly shaped areas, such as corridors or alcoves. Shelving is mounted on low profile mobile bases and tracks and are simply rolled aside to reach the units behind.



Mobile shelving increases the filing capacity to 192 linear metres. When a document is required the particular shelving bay is identified and an adjacent aisle created by moving the mobile shelving units apart.

Alternatively Mobile shelving can reduce the space required for storage. Up to 50% of the floor space can be released for other uses when compared with filing cabinets and 38% more with static shelving.



Mobile racking is particularly effective in offices, archives, libraries or retail stock settings, as they represent a lower cost alternative to increasing floor space.



If you've got lots of items to store, be it bulk storage, large archives or stock, heavy duty mobile shelving system can handle all that and more. This versatile system makes the maximum use of the biggest spaces, allowing you to store more than you ever thought possible.



End panels of the mobile carriages can be tailored to suit the aesthetics of your installation. Limited only by imagination, these optional end panels can be created to complement the decor of the surrounding environment.

SHELVING & RACKING


PALLET RACKING DESIGN

We can offer bespoke design, installation and project management of any racking project.


The need to invest in pallet racking is often a straightforward requirement. However, different types of pallet racking can have vastly different outcomes in terms of efficiency and cost be it for standard conventional racking, drive in pallet live, push back or very narrow aisle.

1. Some general considerations

- Make sure the pallets are suitable for use in pallet racking. The weight on the pallet is evenly spread over the full area on the pallet.
- Confirm the size of the load you are storing considering any overhang.



- Understand the depth, width and height of the load including the pallet.



2. Simple calculations for pallet storage

FRAMES

- The frame height
- Allow 300mm at each storage level for clearance to place and remove the load and the height of beam.
- The frame height = (load height + 300mm) x number of levels stored on beams + 600mm.
- Remember to consider any lighting or sprinklers at roof level that may require additional clearance.
- The frame depth.
- Depth of the pallet minus 100mm. This will ensure that the corner blocks of the pallet will be supported on the beams.

Increasing the vertical spacing of the beams will reduce the maximum weight that a frame can safely support.

BEAMS


- The beam length.
- Assuming 2 loads per beam = $2 \times \text{load width} + 300\text{mm}$.
- Loads on beams to be uniformly distributed – do not exceed the beam capacity.

AISLES

- The aisle width depends on the mechanical handling equipment being used and the size of the load. The supplier of the equipment will provide recommended widths.

TYPICAL AISLE WIDTHS

- Counter balance fork lift trucks lifting to about 5m, aisle width 4m.
- Reach trucks or stackers lifting to about 8m, aisle width 3m.



No matter how carefully you use your storage scheme, damage will occur from time to time, which can result in serious consequences, including injury to staff, if left undetected. We have a skilled team of safety engineers who are on hand to provide SEMA approved pallet racking inspections to determine the safety and structural integrity of your pallet racking systems.

As pallet racking suppliers with SEMA Approved Racking Inspectors (SARI), we are perfectly positioned to report on the status of your installation, regardless of the original supplier.

We provide you with a full report detailing any damage and grade it using a simple red, amber, green system to signify severity. We will also offer a quotation for repairing any outstanding damage and outline ways to avoid similar issues occurring in the future, including introducing you to our range of Pallet Racking Accessories and Protection products, such as barriers, upright protectors, rails, signage and floor markings.



Racking Inspections

SEMA guidelines suggest you should have at least one pallet racking inspection from an expert every 12 months, but you should also run regular checks yourself on a weekly or monthly basis.

By carrying out these inspections and identifying any safety issues, you can also reduce lifetime costs associated with general pallet racking maintenance.

- Meet your legal requirements under Health and Safety Regulations.
- Help reduce insurance premiums and maintenance costs.
- Avoid accidents and consequences of failing to comply with HSE.

Whether you're unsure about the structural integrity of your existing pallet racking system or simply want to keep up to date with best practices for a safe working environment, call us today.

SHELVING & RACKING

WIDE AISLE PALLET RACKING

Easily installed, cost effective and versatile, adjustable beam racking is the most widely used of pallet storage systems and allows 100% direct access to each pallet stored.

With adjustable beams, racking can be re-configured to accommodate changes in the type of goods stored and wide aisles allow access by all types of truck, making specialised handling equipment unnecessary.

Racking arranged in this way gives high quality storage but may only utilise 40% of the available floor space, the rest being aisles.



Wide aisle pallet racking allows for easy access to every pallet stored and can accommodate manual picking as well as bulk operations.



Wide aisle pallet racking has a minimum aisle width of 3metres allowing for standard reach trucks to be used.



NARROW AISLE PALLET RACKING

By allowing fork lift trucks to operate in aisles of up to half the width required in conventional adjustable beam pallet racking, Narrow Aisle and Very Narrow Aisle racking makes excellent use of floor space and maximizes the height at which goods can be stacked.

Using specialised lift trucks in either 'man-down' or 'man-up' variants, narrow aisle racking is precision designed for safe, efficient load handling within the tight confines of these efficient aisles.



The full height of the building can be utilised delivering high density, space efficient pallet storage.



Pick and Deposit (P&D) stations can be used at the end of racks to assist in load handling between fixed aisle and other trucks..



Narrow aisle pallet racking requires specialist trucks to operate in the aisles. The height of the installation will have a major bearing on the truck type.

SHELVING & RACKING

DRIVE IN PALLET RACKING

Using minimal space for access aisles and lanes, Drive-in racking provides a high-density and very space-efficient bulk storage system.

With the first pallet into a lane being the last out, stock selectivity is restricted, but when loads are delivered and dispatched in batches, this is not a difficulty.

Pallets are stored on runners in the depth of the racking and trucks enter to deposit or retrieve.

The system lends itself to high volume movements of low value products where handling costs are a large percentage of the overall product cost.



Pallets are stacked by the first-in, last-out (FILO) principle, which means that individual pallets cannot be accessed directly, but one by one from the front face of the rack.



Used extensively by drink manufacturers as a safe way of block stacking glass and PET bottles..



With limited stock rotation Drive-in pallet racking is particularly suitable for seasonal goods.

SHUTTLE PALLET RACKING

Shuttle storage is an alternative to Drive-In, Push Back or Pallet Live racking systems. These systems, though efficient, are limited by the length of the storage lane that can be practically achieved.

The shuttle storage system overcomes this by storing pallets within a system that can operate to greater depths. The racking features guide/support rails which run the depth of the rack structure on which an automated shuttle travels.


Pallets are loaded onto a shuttle at the front of the lane, which transports the pallet down to the other end.

The in-built sensors on the shuttle detect the position of previous pallets and places the new load at a predetermined distance from them, before returning to the start face.

The shuttle is easily moved between lanes by a standard fork lift truck.



The shuttle movements are sent via the radio remote controller allowing the forklift truck and driver to be released to other tasks while the shuttle operates.



Shuttles are fitted with a 48V lithium no 'memory effect' battery offering up to a 15 hour operating time.



The length of the storage lane is not limited in the same way as a pallet live system, with no incline required.

PUSH-BACK PALLET RACKING

Effectively utilising floor and cubic space, Push-back racking is amongst the most space and time-efficient pallet storage systems available.

The pallets are loaded and unloaded from the same aisle reducing truck travel distances and improving efficiency.

Pallets are loaded in sequence onto roller beds or wheeled carriers of differing heights and are pushed back along inclines to utilise the full depth of the racking. Pallets can be stored up to ten deep and when a load is retrieved the remaining pallets roll forward into position at the picking face.

Selectivity is 'first-in, last-out' and with each product having a dedicated lane, dynamic Push-back racking is particularly useful in marshalling areas and for bulk storage and handling.



Push-back racking allows for the storage of up to 10 pallets deep



Pallets are loaded onto wheeled carts or rollers and are pushed back along inclined beds. When a load is retrieved the remaining pallets roll forward into position at the picking face



When fully utilised, very high occupancy rates can be achieved.

PALLET LIVE PALLET RACKING

Pallets are loaded onto dedicated lanes of inclined gravity rollers which are set at a fixed gradient. When a load is taken from the picking face, the next pallet rolls onto position, with replenishment stock loaded at the opposite upper end of the lane.

Working on a first in, first out basis dynamic live storage racking provides extremely high levels of density in a given area, and provides automatic stock rotation, with the minimum of fork lift truck movements required to handle the flow of goods.



Pallet live can be used to feed multi level picking operations where pallets are broken down for picking.



Ideal for perishable and time sensitive products pallet live storage saves space of up to 60% compared to conventional racking.



As pallets are picked a safety separator is activated. This holds the accumulated load of several tonnes and allows only one pallet to flow smoothly and securely to the front face.

SHELVING & RACKING

PICK TOWERS

A pick tower is a multi-level high density storage and picking solution designed to maximise the available height of the building.

Compared to traditional low level storage and picking systems it provides increased capacity within a similar foot print. It also provides commercial benefits compared to multi-level mezzanine floor solutions which may require additional civils or building work to support the mezzanine structure.


A number of pick tower options are available to suit your product range, SKU numbers and picking profile including:

- Individual items – single SKUs
- Full cartons – not broken down
- Pallets
- A combination of all the above

Pick tower designs range from a simple ground plus 1 solution up to ground plus 4 levels, utilising approximately 14 metres of head room.



Up to ground plus 4 floor levels are achievable, delivering great space utilisation and flexibility.



The mezzanine floor integrates with the pallet racking pick tower to create a working area for the conveyors.



Pick towers can have live storage and garment hanging integrated within the structure, making it a favourite of fashion retail distributors.

MEZZANINE FLOORS

The wide range of sizes, floor types, accessories and construction materials mean the mezzanine can be designed to meet your exact requirements.

A mezzanine floor is basically a raised structural steel platform independent of your main building structure, supported by steel columns. It creates invaluable extra floor area from wasted air space above your existing work and storage areas, economically increasing the amount of space available to you.

Mezzanine floors enable the working height of a building to be utilised to its full potential, by doubling or tripling the floor area. They can be designed to accommodate:

- Offices • Production equipment
- Storage areas • Retail sales space



Mezzanines can be designed to accommodate a further floor at a later date future proofing the installation against planned growth.



Lighting, sprinklers, fire cladding can all be managed and installed alongside the mezzanine floor.



Mezzanines can also be used in front of house retail operations to increase the sales area.