STORAGE DESIGN

STORAGE & WORKPLACE PRODUCTS

Catalogue

Plastic or steel Everyday kick steps for the workplace. See page 138 Ensure personnel access goods around the workplace, whether in the office, factory or warehouse, safely and correctly with our range of

ERS

Ever providir





ware safe ac



STORAGE DESIGN LIMITED email: info@storage-design.ttd.uk tet: 01446 772614 d.uk fax: 01446 774770

Cowbridge South Wales CF71 7DU www.storage-design.ltd.uk

> provide a stable area for the user to stand and move around. See page 144

STORAGE DESIGN LTD TEL:01446772614 info@storage-design.ltd.uk www.storage-design.ltd.uk

137



Plastic or steel Everyday kick steps for the workplace. See page 138

Everyday stepladders providing a safe platform for the user. See page 139



Range of steps with retracting castors. See page 140

Fully mobile, these warehouse steps provide safe access to high shelves. See page 143





Dock platform steps provide a stable area for the user to stand and move around. See page 144

Ensure personnel access goods around the workplace, whether in the office, factory or warehouse, safely and correctly with our range of ladders and steps.

lick Steps	138
tepladders	139

MOBILE STEPS

Wheel Along Steps	140
Narrow Aisle Mobile Steps	141

WAREHOUSE STEPS

Narrow Aisle Warehouse Steps	142
Heavy Duty Warehouse Steps	143
Warehouse Steps with Dock Platform	144

EVERYDAY STEPS & LADDERS

STEP STOOLS

Kick and Step stools are used in a range of environments suitable for domestic and commercial use where there is a need for easy access to hard reach places.

Kick steps versatility can also allow the user to safely and easily sit and work at lower heights when needed.

The more traditional sturdy step is easily stored under the stairs or in a cupboard and represents a very flexible solution.



F44.31



PLASTIC KICK STEPS

Manufactured in high quality durable plastic, this kick step is lightweight and easy to move making it ideal for supermarkets, offices, schools, warehouses etc. The unit incorporates 3 spring loaded castors that retract when weight is applied to the unit. • Manufactured in high quality durable plastic

Manufactured in high quality durable plastic
 This kick step is light weight and easy to move

	orates 3 spring		etract when weight is a	applied
Code	Height	Top Diameter	Base Diameter	Each

KA0077 420mm 300mm 440mm £33.80	Code	Height	Top Diameter	Base Diameter	Each
	KA007Z	420mm	300mm	440mm	£33.80





NON SLIP PLASTIC SAFETY STEPS

These plastic steps are extremely popular in warehouses, builders merchants and scaffolding companies where their incredible strength means they are perfectly capable to withstand the rigours of their workload.

· They are resistant to most chemicals and their smooth exteriors makes them

- easy to clean
- Able to take up to 260kg in weight
 Manufactured from 100% Food Grade Medium Density Polyethylene

Code	Туре	Height	Width	Depth	Each	
VRW0101-	1 Step	300mm	485mm	310mm	£51.50	
VRW0102-	2 Step	415mm	475mm	540mm	£73.57	
VRW0103-	3 Step	620mm	440mm	795mm	£98.58	

BRY

Please add one letter suffix in place of dash for colour when ordering









LOAD 150kg STEEL KICK STEPS

Lightweight steel kick step is great for accessing higher and hard to reach areas making it ideal use around the home or commercial premises. Suitable for professional and domestic use.

domesticuse.

- Safe & Convenient to use
- Castors retract when steps are in use
 Available in Black, Blue, Grev & Red

	,,,,			
Code	Height	Top Diameter	Base Diameter	Each
V2205-	425mm	280mm	410mm	£44.31



Please add single digit suffix in place of dash for colour when ordering



STURDY STEP STOOLS

With a top tread height from 0.45 to 0.72m, these attractive chrome and white painted steel-framed stepstools offer both professional and domestic users the ideal solution to access just out of reach heights on an everyday basis.

- Convenient and practical, all stepstools fold flat for easy storage and provide outstanding flexibility and value
- Clean to handle chrome and painted finish reduces print marks after handling
- High handrail for added support and stability (V22043 & V23102)

			,	
Code	No. of Treads	Finish	Top Tread Height	Each
V13712	2	Painted	450mm	£31.06
V23102	2	Painted	490mm	£42.99
V23123	2	Painted	470mm	£36.85
V22042	2	Chrome	470mm	£44.18
V22043	3	Chrome	720mm	£56.20

138

LADDERS

The traditional ladder in a choice of fibreglass meaning it is light and non-conductive making it highly suitable for those working with electricity or in aluminium giving the added feature of a safety handrail.

Suitable for professional use but still a favourite for domestic use.







LOAD 150kg **HIGH HANDRAIL STEPLADDERS**

High Handrail Aluminium Stepladder features a high safety handrail, large slip-resistant feet and treads for added stability.

- Wide range of heights available from 3-8 treads
- Available with integral tool tray; great for storing tools and materials whilst you work
 150kg load capacity makes it suitable for both professional and domestic use

Code	No. of Treads	Platform Height	Each
V74003	3	580mm	£40.90
V74004	4	800mm	£45.97
V74005	5	1030mm	£51.17
V74006	6	1250mm	£57.27
V74007	7	1480mm	£65.98
V74008	8	1750mm	£84.38



FIBREGLASS SWING BACK STEPLADDERS

These fibreglass swing back stepladders include a holster top with specially designed tool and equipment holders to keep tools organised and safe on the stepladder. The stepladders have non-conductive fibreglass stiles making it ideal for working around electricity.

- Edge moulded brace and foot pad combination provides enhanced bracing strength and protects the base treat from damage
- New 'H-spreaders' offer single handed operation and add to the strength and stability of the ladder .

Slip-resistant traction-tread steps

Code	No. of Treads	Top Tread Height	Average Working Height	Each
V71604	4	1220mm	2040mm	£71.53
V71605	5	1400mm	2310mm	£80.84
V71606	6	1670mm	2590mm	£87.63
V71608	8	2230mm	3150mm	£102.49
V71610	10	2790mm	3700mm	£132.27
V71612	12	3340mm	4260mm	£150.60



TELESCOPIC LADDERS

Ideal for surveyors, tradesmen and DIY use. These top of the range telescopic ladders are light to carry, compact to store, easy to transport and will easily fit into the boot of a car. Complete with anti-pinch system which safely protects hands when collapsing the ladder and rounded rubber feet to ensure ease of transition from vertical to leaning position.

- Smooth operation, extends & locks rung by rung
- Anti-pinch Finger Protectors
 Class EN131

Code	Closed Height	Open Height	Weight	Each
30210A	795mm	2050mm	5.5kg	£89.99
30270A	875mm	2630mm	7kg	£99.99
30320A	883mm	3210mm	9kg	£109.99
30380A	920mm	3810mm	14.5kg	£139.99



FROM ONLY



MOBILE STEPS

WHEEL ALONG STEPS

Ideal moveable access steps for warehouses, stockrooms, offices, libraries or hospitals. Finished in a choice of bright powder coated colours. Fitted with wheels to aid moving to new location. Stable to use and easy to move.





WHEEL ALONG MOBILE STEPS

Wheel along 2, 3 & 4 tread steps with a choice of anti-slip or rubber treads.

- Static steps fitted with 2 x 75mm diameter wheels to rear frame
- Steps tilt to allow easy movement to next location

	•	Available	in	Blue,	Grey	or	Red	
--	---	-----------	----	-------	------	----	-----	--

Code	No. of Treads	Platform Height	Tread Type	Each
VPAS2AS	2	510mm	Anti-Slip	£116.52
VPAS3AS	3	762mm	Anti-Slip	£140.55
VPAS4AS	4	1020mm	Anti-Slip	£205.66
VPAS2	2	510mm	Rubber	£116.52
VPAS3	3	762mm	Rubber	£140.55
VPAS4	4	1020mm	Rubber	£205.66

BL RD GR YE

Please add two letter suffix in place of dashes for colour when ordering







TWO STEP RANGE

A choice of three styles of Mobile Steps, all with easy-running 50mm castors. When you stand on the steps, the castors spring into their housings, and the non-slip housing base grips the floor for rock-solid stability.

- Ribbed rubber or anti-slip treads
- Durable powder coat finish
 Single & Double sided, with or without Grab Rail

Code	Туре	No. of Treads	Tread Type	Each
VRST1AS	Without Grab Rail	2	Anti-Slip	£150.76
VRST1	Without Grab Rail	2	Rubber	£150.76
VRST1HAS	Single Grab Rail	2	Anti-Slip	£165.22
VRST1H	Single Grab Rail	2	Rubber	£165.22
VRST1HHAS	Double Grab Rail	2	Anti-Slip	£187.20
VRST1HH	Double Grab Rail	2	Rubber	£187.20

BL RD GR YE GN

Please add two letter suffix in place of dashes for colour when ordering



MOBILE STEPS

STEPS & LADDERS



BL RD YE GN

Standard Mobile Steps built to highest engineering standards providing an operative with reliable means of access. Note: Mobile steps are designed for use by one person only.

- Easy glide sprung castors with domed floor covers to give firm and
- stable floor contact when weight is applied to step
- Platform size D280mm x W380mm
- All steps come with 4 x 50mm sprung loaded castors

Please add two letter suffix in place of dashes for colour when ordering

Code	No. of Treads	Platform Height	Tread Type	Each
coue	No. of ficada	riacioninieigne	incad type	Lacii
VS006	2	508mm	Anti-Slip	£190.42
VS010	3	762mm	Anti-Slip	£235.66
VS012	4	1016mm	Anti-Slip	£261.36
VS014	5	1270mm	Anti-Slip	£300.61
VS005	2	508mm	Rubber	£190.42
VS009	3	762mm	Rubber	£235.66
VS011	4	1016mm	Rubber	£261.36
VS013	5	1270mm	Rubber	£300.61







A choice of three styles of Mobile Steps all with easy-running 50mm castors. When you stand on the steps, the castors spring into their housings, and the non-slip housing base grips the floor for rock-solid stability.

- Platform Size: W406mm x D380mm
- Sturdy two, three, four, and five step range
- Retracting spring mounted castors

Code	No. of Treads	Platform Height	Tread Type	Each
VDFS2AS	2	508mm	Anti-Slip	£180.63
VDFS3AS	3	762mm	Anti-Slip	£231.06
VDFS4AS	4	1016mm	Anti-Slip	£277.54
VDFS5AS	5	1270mm	Anti-Slip	£331.88
VDFS2	2	508mm	Rubber	£180.63
VDFS3	3	762mm	Rubber	£231.06
VDFS4	4	1016mm	Rubber	£277.54
VDFS5	5	1270mm	Rubber	£331.88

BL RD GN YE OR GR WH

Please add two letter suffix in place of dashes for colour when ordering



NARROW AISLE MOBILE STEPS

2, 3, 4 or 5 Tread Narrow Aisle Mobile Steps with plastic treads are ideal for narrow spaces.

- Robust, hard wearing narrow aisle units with spring loaded castors
 Spring loaded castors allows the feet to lower to the ground under
- operator's weight Platform Size: W395mm x D395mm

5

Average Work ing Height Platform Code No. of Treads Each Height VGFS20-£230.27 2 500mm 2000mm VGFS30-3 750mm 2250mm £298.55 VGFS40-1000mm 2500mm £349.48 4

1250mm

3750mm

£398.82

В	R	Y	GN	GY
-			0	C .

VGFS50-

Please add one or two letter suffix in place of the dash for colour when ordering



WAREHOUSE STEPS

MOBILE WAREHOUSE STEPS

Warehouse Steps are heavy duty with castors giving mobility suitable for the warehouse environment. They often have a hand rail and large treads to provide greater safety and stability when carrying goods.





PREMIUM COMMERCIAL MOBILE WAREHOUSE SAFETY STEPS

3, 4 and 5 tread Narrow aisle mobile warehouse safety steps for use in warehouses and stores.

Built for years of heavy work
Strongly made from welded tubular steel
Platform size: W560mm x D340mm

Code	No. of Treads	Platform Height	Average Working Height	Tread Type	Each
VS3660AS	3	685mm	2210mm	Anti-Slip	£281.07
VS4660AS	4	915mm	2440mm	Anti-Slip	£325.12
VS5660AS	5	1145mm	2650mm	Anti-Slip	£366.91
VS3660AL	3	685mm	2210mm	Aluminium	£311.25
VS4660AL	4	915mm	2440mm	Aluminium	£364.61
VS5660AL	5	1145mm	2650mm	Aluminium	£415.57

Also available with Punched or Rubber treads, please call for prices





Choose from a range of frame and beam sizes to create a run on shelving to suit your storage requirements.

~ STORAGE DESIGN LTD ~ SD22 ~ 2017

WAREHOUSE STEPS





MOBILE WAREHOUSE SAFETY STEPS WITH HAND-LOCK

Hand built with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation. All models fitted with hand lock anchorage, when locked the front feet rest firmly on the floor; fitted with protective plastic floor pads.

- Designed to conform to new mobile step safety standard BSEN 131-7:2013
 Inboard wheels for ease of use, no outboard wheels to catch racking posts,
- Platform Size: W610mm x D457mm

			Tread Ty	Tread Type: Anti-Slip		pe: Expamet	
No. of Treads	Platform Height	Average Working Height	Code	Each	Code	Each	
4	915mm	2400mm	VS070	£409.03	VS061	£425.33	
5	1145mm	2700mm	VS071	£473.03	VS062	£498.76	
6	1370mm	2900mm	VS072	£538.04	VS063	£566.48	
7	1600mm	3100mm	VS073	£617.06	VS064	£652.07	
8	1830mm	3400mm	VS074	£682.19	VS065	£724.36	
9	2060mm	3600mm	VS075	£752.90	VS066	£800.40	
10	2285mm	3800mm	VS076	£911.36	VS067	£971.03	
11	2515mm	4000mm	VS077	£994.54	VS068	£1059.01	
12	2745mm	4300mm	VS078	£1092.84	VS069	£1174.58	

Also available with Punched or Rubber treads, please call for prices





Top gate allows access to mezzanine floors/vehicles etc



Locking lever locks steps in position

				Treat Type:	Anti-Slip	Treat Type: A	luminium
No. of Treads	Platform Height	Platform Depth	Average Working Height	Code	Each	Code	Each
5	1250mm	380mm	2750mm	VLL556AS	£497.12	VLL556AL	£522.84
6	1500mm	380mm	3000mm	VLL656AS	£558.03	VLL656AL	£589.76
7	1750mm	380mm	3250mm	VLL756AS	£630.93	VLL756AL	£668.67
8	2000mm	380mm	3500mm	VLL856AS	£696.99	VLL856AL	£740.67
9	2250mm	380mm	3750mm	VLL956AS	£772.61	VLL956AL	£817.79
10	2500mm	460mm	4000mm	VLL1056AS	£899.55	VLL1056AL	£953.49
11	2750mm	460mm	4250mm	VLL1156AS	£983.27	VLL1156AL	£1,060.99
12	3000mm	460mm	4500mm	VLL1256AS	£1,093.04	VLL1256AL	£1,173.85
13	3250mm	460mm	4750mm	VLL1356AS	£1,211.90	VLL1356AL	£1,303.79
14	3500mm	460mm	5000mm	VLL1456AS	£1,317.34	VLL1456AL	£1,402.99

Also available with Punched or Rubber treads, please call for prices

Designed to conform to mobile step safety standard - BS EN 131-7:2013

• Large outboard rear wheels with rubber tyres 200mm diameter

LOAD 150kg

floors, vehicles and high shelving.

Platform Width 560mm

STORAGE DESIGN LTD ~ SD22 ~ 2017

WAREHOUSE STEPS



WHEEL ALONG WAREHOUSE STEPS WITH DOCK PLATFORM

Wheel along tilt and go dock steps are open at the rear allowing walk through access to a vehicle or a loading bay.

- Powder Coated or Galvanised finish with options of Expanded or Phenolic non-slip treads. Fitted with lift handles which incorporate knuckle guard hand grips & 2 x
- 150mm rubber tyre wheels which make these units extremely manoeuvrable. Manufactured & Approved to the recognised GS Standard & Certified to EN-14183

Platform Size: W400 x D300mm

Code	No. of Treads	Platform Height	Overall Height	Finish	Tread Type	Each
GSD702M	2	500mm	1210mm	Powder Coated	Expanded Steel	£194.29
GSD702R	2	500mm	1210mm	Powder Coated	Phenolic Non-Slip	£199.98
GSD702G	2	500mm	1210mm	Galvanised	Expanded Steel	£208.20
GSD703M	3	750mm	1460mm	Powder Coated	Expanded Steel	£230.94
GSD703R	3	750mm	1460mm	Powder Coated	Phenolic Non-Slip	£238.59
GSD703G	3	750mm	1460mm	Galvanised	Expanded Steel	£249.00
GSD704M	4	1000mm	1710mm	Powder Coated	Expanded Steel	£276.35
GSD704R	4	1000mm	1710mm	Powder Coated	Phenolic Non-Slip	£286.98
GSD704G	4	1000mm	1710mm	Galvanised	Expanded Steel	£298.66





MOBILE WAREHOUSE STEPS WITH DOCK PLATFORM

Steps with Dock Platform offers wide expamet treads and a very large dock platform making it ideal for loading and unloading. Welded steel tube and bar construction finished in durable red epoxy. Designed with a 48 degree slope for safety and comfort. Designed to allow user to comfortably descend the steps facing forward

Fitted with hand-lock anchorage Large platform (W750 x D1200mm) with removable chain on end and both sides for 3 sided access

Code	No. of Treads	Platform Height	Average Working Height	Finish	Each
S681	4	920mm	2420mm	Red Epoxy	£800.95
S682	5	1150mm	2650mm	Red Epoxy	£876.90
S683	6	1380mm	2880mm	Red Epoxy	£950.60
S691	4	920mm	2420mm	Galvanised	£1,079.18
S692	5	1150mm	2650mm	Galvanised	£1,171.95
S693	6	1380mm	2880mm	Galvanised	£1,267.25





Spring loaded wheel castors

GSS703R

GSS704R

GSS705R

GSS706R

GSS707R

GSS708R

SPRING LOADED WAREHOUSE SAFETY STEPS

1460mm

1710mm

1960mm

2210mm

2460mm

2710mm

Weight Reactive Mobile Safety Steps with Retractable non marking castors enabling them to easily glide across the floor but stay safely in position once body weight is applied.

- Powder Coated finish with Expanded Steel or Phenolic Non-Slip treads
- Mobile on 2 spring loaded 75mm swivel castors & 2 x 150mm rubber tyre wheels. When body weight is applied the castors retract leaving the steps firm & safe on rubber feet

GSS703M

GSS704M

GSS705M

GSS706M

GSS707M

GSS708M

•	Platfor	m Size: W400	x D300mm			
				Treat Type: Exp	Treat Type: Ph	
	No. of Treads	Platform Height	Overall Height	Code	Each	Code
Ī	2	500mm	1210mm	GSS702M	220.10	GSS702R

Simply tilt and push these easily manoeuvrable mobile safety steps into position before climbing. Extremely sturdy steps with a powder coated finish.

- Powder Coated finish with Expanded Steel or Phenolic Non-Slip treads
- Fitted with lift handles which incorporate knuckle guard hand grips & 2 x 150mm rubber tyre wheels which make these units extremely manoeuvrable
- Platform Size: W400 x D300mm

			Treat Type: Expanded Steel		Treat Type: Phenolic Non-Slip	
No. of Treads	Platform Height	Overall Height	Code	Each	Code	Each
2	500mm	1210mm	GSW702M	191.36	GSW702R	£200.90
3	750mm	1460mm	GSW703M	228.40	GSW703R	£244.15
4	1000mm	1710mm	GSW704M	274.55	GSW704R	£299.10
5	1250mm	1960mm	GSW705M	321.16	GSW705R	£357.51
6	1500mm	2210mm	GSW706M	367.98	GSW706R	£419.16
7	1750mm	2460mm	GSW707M	424.28	GSW707R	£490.91
8	2000mm	2710mm	GSW708M	470.35	GSW708R	£555.18





257.14

303.25

349.86

396.76

453.03

499.14

'	175011111
8	2000mm
$1 \Delta \Delta$	

3

4

5

750mm

1000mm

1250mm

1500mm

1750

enolic Non-Slip Each

£229.69

£272.89

£327.93

£386.39

£447.95

£519.65

£583.93