

| Ŀ |               |
|---|---------------|
| Ŀ | probe lockers |



probe shelving











۲













21

вох







probe mobile shelving

probe cloakroom

probe plastic lockers

11-2022

FORS RECORPOSED

 $\bigtriangledown$ 

**S**SS

HAS

Constructionline



 $\left[ \cdot \right]$ 

:



h

Solutions for every environment



ltd.uk ltd.uk **@storage-design.** www.storage-design 72614 info( 446 01 • • emai web: • • Tel

LIMITED

DESIGN

STORAGE

### PROBE SHELVING SYSTEMS











# 

#### - DUO

Σ

n

ſ

Shelf Material
 Steel

- Shelf Adjustability 25mm pitch on clips
- Configuration Static or Mobile
- Frame Type Clad
- Bay Type Open or Clad
- Max. Shelf Load UDL\* Up to 130kg\*
- Max. Bay Load UDSWL\* Up to 1,000kg\*
- Dimensions

   18 heights:
   From 950mm to 3500mm
   12 depths:
   From 200mm to 600mm
   8 widths\*:
   From 600mm to 1250mm
- Upright Colour White or Light Grey
- Shelf Colour White or Light Grey
- ActiveCoat Light Grey only
- Accessories Available
   Part Height Divider
   Full Height Divider
   Lateral Filing Cradle
   Pull-out Filing Cradle
   Pull-out Reference Shel
   Pull-out Drawers
   Full Height Doors
   Plastic Drawer/Bins
   Cladding

PROBE

4-15

#### MONO

- Shelf Material Steel
- Shelf Adjustability 25mm pitch on clips
- Configuration
   Static or Mobile
- Frame Type Open
- Bay Type Open or Clad
- Max. Shelf Load UDL\* Up to 130kg\*
- Max. Bay Load UDSWL\* Up to 1,000kg\*
- Dimensions 18 heights: From 950mm to 3500mm 12 depths: From 200mm to 600mm 8 widths\*: From 600mm to 1250mm
- Upright Colour White or Light Grey
- Shelf Colour White or Grey
- ActiveCoat Light Grey only
- Accessories Available
   Part Height Divider
   Full Height Divider
   Lateral Filing Cradle
   Pull-out Reference Shel
   Pull-out Drawers
   Full Height Doors
   Plastic Drawer/Bins
   Cladding
   Mesh Frame Cladding



- Shelf Material
   Steel
- Shelf Adjustability 25mm pitch on clips
- Configuration Static or Mobile
   Frame Type
- Bay Type
   Open or Clad
- Max. Shelf Load UDL\* Up to 130kg\*
- Max. Bay Load UDSWL\* Up to 700kg\*
- Dimensions

   heights:
   From 950mm to 3500mm

   depths:
   From 200mm to 600mm

   widths\*:
   From 600mm to 1250mm
- Upright Colour White or Light Grey
- Shelf Colour White or Grey
- ActiveCoat Light Grey only
- Accessories Available
   Part Height Divider
   Full Height Divider
   Lateral Filing Cradle
   Pull-out Filing Cradle
   Pull-out Reference Shel
   Pull-out Drawers
   Full Height Doors
   Plastic Drawer/Bins
   Cladding

- MOBILE
- Material Steel
- Shelf Adjustability
- Configuration

NΔ

- Track or Trackless

  Frame Type
- Bay Type
- Max. Load UDL\* Up to 20,000kg\*
- Max. Bay Load UDL\* Up to 1,000kg\*
   Dimensions
  - Height: based on shelving plus height of mobile base & track Depth: to suit shelving Width: to suit runs of shelving
- Colour White or light grey
- Shelf Colour
   Dependent on system chosen
- ActiveCoat Light Grey only
- Accessories Available
   N/A

#### STANDARD

 Shelf Material 18mm chipboard on Steel Beams

n

- Shelf Adjustability 38mm pitch on beams
- Configuration Static
- Frame Type Open
- Bay Type Open
- Max. Shelf Load UDL\* Up to 360kg\*
- Max. Bay Load UDL\* Up to 2000kg\*
- Upright Colour Blue, Red, Light or Graphite Grey
- Shelf Colour Light Grey Beams
- ActiveCoat Light Grey only

- Shelf Material 18mm chipboard on Steel Beams
- Shelf Adjustability 38mm pitch on beams
- Configuration Static
- Frame Type Open
- Bay Type Open
- Max. Shelf Load UDL\* Up to 650kg\*
- Max. Bay Load UDL\* Up to 3000kg\*
- Dimensions

   heights:
   1981 & 2438mm
   depths:
   450, 600 & 900mm
   widths:
   900 2400mm
- Upright Colour Blue, Red, Light or Graphite Grey
- Shelf Colour Light Grey Beams
- ActiveCoat Light Grey only

22-25







#### INDUSTRIAL

- Shelf Material Chipboard or Galvanised Steel Panels on Steel Beams
- Shelf Adjustability 50mm pitch on beams
- Configuration
   Static, Mobile or Tiered
- Frame Type Open, Mesh or Clad
- Bay Type
   Back type open
- Max. Shelf Load UDL\* Up to 1800kg\*
- Max. Bay Load UDL\* Up to 6800kg\*
- Dimensions
   20 heights between:
   1200 4050mm
   6 depths between:
   450 1200mm
   14 widths between:
   1050 3000mm
- Upright Colour Graphite Grey, Light Grey
- Shelf Colour Light Grey Beams
- ActiveCoat
   Light Grey only

| 2 | 6 | - | 2 | 9 |  |
|---|---|---|---|---|--|



#### INDUSTRIAL Shelf Material Steel • Shelf Adjustability 50mm pitch on clips • Configuration Static. Mobile or Tiered • Frame Type Open, Clad or Mesh • Bay Type Open, Clad or Mesh • Max. Shelf Load UDL\* Up to 350kg<sup>±</sup> • Max. Bay Load UDL\* Up to 5500kg Dimensions 18 heights between 1200 - 3600mm 8 depths between 250 - 900mm 4 widths between 900- 1250mm • Upright Colour Light or Graphite Grey Blue Shelf Colour Light Grev ActiveCoat Light Grev only • Accessories Available Part Height Divider Full Height Divider Bin Fronts Pull-out Reference Shelf Pull-out Drawer Pull-out Filing Cradle Hanging Garment Rail Half & Full Height Doors 30.33


\*Depending on specification






# **STORMOR** SHELVING - A TRULY INTEGRATED SYSTEM

This shelving system is an evolution of our best selling Mistral shelving. The shelving accessories are fully compatible, excluding door sets as the shelving heights have been optimised for efficient storage of contemporary products.







Probe reserve the right to alter design and price without prior consent.

\*Dependent on specification











#### **ACCESSORIES**




Available in several load duties for varying load applications. With many widths and depths available, this system is extremely versatile. The open shelf is even compatible with hanging files.




#### PULL OUT SHELF

These Pull Out Shelves offer quick and convenient access to many items and can be utilised as a retractable work surface. Available for 1000wide bays. Three depths available. Max 20kg per pull out shelf.



#### PULL OUT CRADLE<sup>†</sup>

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm.



#### DIVIDERS

A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.



#### PULL OUT DRAWER

Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.



#### DOOR SETS

Door sets allow bays to be used as lockable cupboards. Available in several heights and widths. Compatible with pull-out accessories.

# STORMOR DUO SHELMING

#### Features & benefits

NOB/

DOOR SETS

accessories.

Door sets allow bays to be

used as lockable cupboards.

These are available in several heights and widths and are compatible with pull-out

- **o** Ideal for office, store room or even warehouse
- **o** Shelves are clipped in position for **quick assembly**
- A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs





**DUO UPRIGHT** 

#### **AVAILABLE COLOURS** GREY RAL 7035






#### **18 HEIGHTS AVAILABLE** From 950mm to a towering 3500mm **12 DEPTHS**

From 200mm to 600mm 8 WIDTHS\* \*Not all accessories are available in all widths.



BOX SHELF Available in three load duties for varying load applications. With four widths and eight depths available, this system is extremely versatile.



0

#### **OPEN SHELF<sup>†</sup>** A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



#### PULL OUT SHELF Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide bays. Three depths available. Max 20kg per pull out shelf.



PULL OUT CRADLE<sup>†</sup>

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm &

450mm

PULL OUT CRADLE<sup>†</sup> This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm



#### PLASTIC DRAWER UNITS Ideal for separating small components, these easy access cantilever drawers come in three convenient sizes. Draw dividers also available.



#### PULL OUT DRAWER Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.

DIVIDERS A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.

# PROBE







#### DOOR SETS

Door sets allow bays to be used as lockable cupboards. Available in several heights and widths. Compatible with pull-out accessories.

# **STORMOR MONO** SHELVING

#### Features & benefits

- O Ideal for store room or even warehouse
- **o** Shelves are clipped in position for **quick assembly**
- O A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs





#### MESH FRAME CLADDING These pre-galvanised Mesh Panels are perfect for separating stored items while allowing full vis-ability and ventilation.



GARMENT HANGING RAIL A choice of two rail diameters available. The rails are re positionable in the available slots.



| VAILABLE COL            | OUR: |
|-------------------------|------|
| <b>GREY</b><br>RAL 7035 |      |



BOX SHELF Available in three load duties for varying load applications. With four widths and eight depths available, this system is extremely versatile.

PROBE



**OPEN SHELF<sup>†</sup>** A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



PULL OUT SHELF Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide bays. Three depths available. Max 20kg per pull out shelf.



FLOOR FIXINGS AVAILABLE

See technical literature.

PULL OUT CRADLE<sup>†</sup> This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm



cantilever drawers come in three convenient sizes. Draw dividers also available.



heights and three depths. Internal dividers are available.

are available, see technical literature for all options.


Available in several heights and widths. Compatible with pull-out accessories.

# STORMOR SOLO SHELMING

#### Features & benefits

- **o** Ideal for office, store room or even warehouse
- **o** Shelves are clipped in position for **quick assembly**
- O A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs







# **AVAILABLE COLOURS**

#### **18 HEIGHTS AVAILABLE** From 950mm to a towering 3500mm **12 DEPTHS**

From 200mm to 600mm 8 WIDTHS\*



PLASTIC DRAWER UNITS Ideal for separating small components, these easy access cantilever drawers come in three convenient sizes. Draw dividers also available.



#### BOX SHELF Available in three load duties for

varying load applications. With four widths and eight depths available, this system is extremely versatile.

#### **OPEN SHELF<sup>†</sup>**

A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



PULL OUT SHELF Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide

bays. Three depths available.

Max 20kg per pull out shelf.



PULL OUT CRADLE<sup>†</sup> This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm















# **KINETIC 2**+ MOBILE BASE SYSTEM

This comprehensive Mobile Base System from Probe offers the highest quality track, mechanism and base. Design to create up to 100% more storage space in your existing archive area. Pictured here with Stormor Duo.

# ENGINEERED EFFICIENCY

• No floor fixings option for **easy installation** and re location O Double your storage space quickly and simply

- O Five track/floor options to suit your environment
- O Smooth light action even on heavy loads



System shown is for illustrative purposes only and may differ depending on duty requirements. Probe reserve the right to alter design and price without prior consent.



O Mobile base system is easily extended or relocated

**O** Quality engineered to provide a sturdy and robust mobile system

LIGHT DUTY - 750kg UDL\*

The **750kg** UDL\* base load make these ideal for retail stockrooms, offices and medical practices.

#### MEDIUM DUTY - 5,000kg UDL\*

Perfect for the storage of live files, small archives, artefacts, healthcare and industrial items. Base load of up to **5,000kg** UDL.

#### HEAVY DUTY - 20,000kg UDL\*

With a base load of up to 20,000kg UDL\* these are ideal for off-site archives and engineering stores.


\*Uniformly Distributed Load

# KINETIC 2+ A TRACK FOR EVERY SITUATION



#### FLAT FLOORS SURFACE PROFILE TRACK

A simple, quick to install and cost effective system for flat floors. Aluminium extruded ramp with steel inset is fixed directly onto the floor and is suitable for floors with a flatness of between 1mm and 3mm/1000mm, in all directions, depending on application. A typical application would be a raised floor in an office.



#### NEW FLOORS IN-SITU TRACK

No ramps are required for this system making it ideal for wheeled traffic. Suitable for new buildings where the final finished floor surface has not been laid. The track is levelled and fixed using nuts above and below the foot plate. For existing floors channels 200mm wide x 50mm deep can be used (subject to floor suitability).



#### UNEVEN FLOORS INFILL FLOOR TRACK

Suitable for floors with an average flatness of 15mm over the floor. Floors are shimmed but not fixed preventing any need to put holes into the existing floor allowing easy relocation at a later date. An infill floor is fitted, ensuring a smooth trip free floor surface between tracks. Alternative finishes can be supplied. Ramps and trim are fitted to all edges of the floor.




#### UNEVEN FLOORS INFILL FLOOR TRACK - FIXED

Floors are shimmed and fixed to cater for higher loads than non-fixed systems, but still allowing relocation at a later date. Suitable for floors with an average flatness of 15mm over the floor. Floors with levels outside this will need additional shims or consideration should be made to improve the floor prior to fitting the track. For example screed or a false structural floor. An infill floor is fitted, ensuring a smooth trip free floor surface between tracks. Alternative finishes can be supplied. Ramps and trim are fitted to all edges of the floor.

Probe reserve the right to alter design and price without prior consent.





BOOM SPACE SAVING



#### PROBE KINETIC 2+ MOBILE SYSTEM

Here are two examples of shelving covering the same area. The New Probe Kinetic 2+ Mobile Shelving System increases shelving realestate by as much as 100% for a given area.

#### FLAT FLOORS TRACKLESS

A guide rail attached to the floor along the wall guides the carriages in perfect alignment. This removes the need for fixed tracks, leaving clear unobstructed aisles, reducing trip hazards and interference for trolleys or steps. Mobiles run on non-marking, polyurethane-rimmed ball-bearing wheels.





# STOCKRAX STANDARD DUTY

#### Features & benefits

- o Simple and quick tap together construction
- O Offers unrestricted access from all sides
- **O** Bays assembled within **ten minutes**

- o Fully adjustable shelving for speedy adaptability
- o Maximum bay loading 2000kg UDL for 1980mm high bays



#### Features & benefits

- **o** Maximum bay loading **3000kg UDL** for 1980mm high bays
- **o** Simple and quick **tap together** construction
- O Wide range of widths and depths available for maximum flexibility





# **/\_}** FSC

#### Many heights, widths and depths available, please enquire.

Individual shelf loading up to 360kgs UDL dependent on specification



#### Many heights, widths and depths available, please enquire.

h

# PROBE

- **O** Offers **unrestricted access** from all sides
- O Bays assembled within ten minutes
- **o** Fully adjustable shelving for **speedy adaptability**



STORAGE DESIGN LIMITED Tel: 01446 772614 info@storage-design.ltd.uk www.storage-design.ltd.uk

SHELVING

LONGSPAN

# LONGSPAN SHELVING

Ideal for automotive parts storage but equally suitable for other industries requiring a storage solution for larger heavier items.

#### maximum bay loading: 6800kg dependent on specification

# Many heights, widths and depths available, please enquire.

Individual shelf loading up to 780kgs UDL dependent on specification



STANDARD DUTY STEPPED BEAM (2LST) For use with 18mm thick chipboard. Lengths range from 1050mm to 3000mm.



HEAVY DUTY STEPPED BEAM (4LST) For use with 25mm thick chipboard. Lengths range from 1050mm to 3000mm



BOX EXTRA HEAVY DUTY BEAM (3LST)

For use with chipboard or steel panels. Lengths range from 1050mm to 3000mm.



#### Features & benefits

- O Ideal for larger, heavier items O
- Shelves are slotted in position for **quick assembly** A
- An **extremely sturdy** and robust shelving system



# Many heights, widths and depths available, please enquire.

Individual shelf loading up to 780kgs UDL dependent on specification

# PROBE

o Extension bays can be added quickly and simply
o Available with steel decks for even greater strength
o Many sizes available to suit your heavy storage needs

Δ



#### BEAM CONNECTOR (SC1) Beam Locking Clip.

This ensures a safe and positive location of the beam.




#### C SECTION MEDIUM DUTY BEAM (2LSC)

For use with 25mm thick chipboard. Lengths range from 1050mm to 3000mm.



#### BOX EXTRA HEAVY DUTY BEAM (2LBC)

For use with chipboard or steel panels. Lengths range from 1050mm to 2400mm.







# **EUROSHELVING** SHELVING

#### maximum bay loading: 5500kg

dependent on specification

# Can be stacked up to four bays high!

Many heights, widths and depths available, please enquire.





**STANDARD SHELF** Each bay comes complete with 6 shelves. Additional shelves can be purchased separately. Shelf loading: 300, 400 & 450mm shelves - UDL 160kg 600mm - UDL 135kg



 PULL OUT SHELF

 These pull out shelves provide a flat and stable

 work surface.

 Width:
 1000mm

 Depth:
 450mm

 600mm



 PULL OUT FILING CRADLE<sup>+</sup>

 These cradles can accommodate A4 and

 foolscap top loading suspension files.

 Width:
 1000mm

 Depth:
 450mm

 600mm
 \*hanging files not included.



 PULL OUT DRAWER

 Fitted onto telescopic arms, these 150mm deep

 pull out draws are ideal for CD and DVD storage.

 Width:
 1000mm

 Depth:
 450mm

 600mm



**DIVIDERS** A range of part height and full height shelf dividers are available, see price guide for all options.

# PROBE



**PLASTIC DRAWER UNITS** Available in three sizes and ideal for the storage of small items. The drawers tilt on integrated back-stops to allow easy viewing and access.

